



# Keeping Homes & Workplaces Safe & Comfortable



# **Digital Temperature Tester**





## **DT720**

UPC: 053533509434

# Dual Input Temperature Tester

- 2 Inputs
- Differential T1-T2
- Accepts 6 different types of thermocouples
- 9,999 display count
- Min/Max/Avg/Hold
- 1-Year limited warranty







# **Digital Pocket Thermometers**

Part #	550B	PDT550	PDT650	PDT655	PDT660
UPC:	053533701173	053533700930	053533701289	053533508543	053533508451
Temperature Range -58° to 572°F	•	•	•	•	•
Min/Max	•	•	•	•	•
Auto power off	•	•	•	•	•
Built-in magnet	•	•	•	•	
Hold	•	•			
Ingress Protection	Water Resistant	Water Proof			
NSF listed	•	•			•
Backlight Display				•	•
Folding			•	•	•
Warranty	3-Year limited	1-Year limited	3-Year limited	1-Year limited	1-Year limited

# **Pressure Meter**

#### **EM720**

UPC: 053533509359

#### Hi-Res Differential Manometer

- Measures Pressure ±80 inWC
- Temperature compensation protects sensor accuracy from ambient temperature sources.
- HOLD MIN/MAX/AVG
- Capture
- · Ambient temperature measurement
- 1-Year limited warranty







# EM720SPKIT

UPC: 053533509458

# Hi-Res Differential Manometer

# Static Pressure Kit

- EM720 Manometer plus
- Stepped T Fitting (2)
- Static Pressure Probe (2)
- Pressure Tubing w/ Brass Fitting (2)
- Step connector w/ 3.15" tubing (2)
- 60" Pressure Tube
- 3 (AA) Batteries
- 1-Year limited warranty



#### SPAK1

UPC: 053533606515

#### Static Pressure Accessory Kit

- Static Pressure Probe (2) (ASP1)
- 60" Pressure Tube
- Stepped T Fitting (2) (TF100)
- Soft Carrying Case (AC319)



# Award Winning True-RMS Clamp Meters



Designed by us for HVAC/R professionals

Made in our ISO 9001 factory managing costs & quality

Backed by our ISO 17025 Operations Center in Indianapolis

# • 3 Clamp Meters with all this as Standard





AC /DC Volts


AC current (amps)

IRA inrush

AC/DC microamps

Resistance (Ohms) Continuity/Diode





Low Z (impedance)

Temperature (K-type input)

MCV (LED & Audible) Min/Max/Hold

Auto and Manual Ranging





Low battery warning

Test lead storage

High voltage alert Auto Calibration

Easy access battery latches

Backlight

Magnet hanger options

Certified by ETL to IEC 61010-1, 3rd edition

# **Techs Are Talking**

"Feels good in your hand!!"

- Shawn H

"They are super accurate and practical...

Probably the best meter for your money - thank you!"

- Antonio A.

"Very comprehensive and accurate, love the dual screens-nice job guys! As Paul Harvey used to say about great things, lead on!"

- Chet D.

"Love my UEi test instruments clamp meter! I have use it every day, definitely my favorite tool! "

- Dylan B.

"Best damn meters out there."

- Aaron L.

# **DL579 DL589 DL599** UPC: 053533509274 UPC: 053533509137 UPC: 053533509144 BOON TO CAT N BOOM (1) Scov & CATIV Bona BOOV (1) CAT N BOOM 1 UE US: DL599 TA Ω. ŧΩ, elΩ.

○ AII STANDARD Features PLUS →

True RMS CLAMP METER

± T₁ ± ± ±

CATIV 300V/CATIII 600V 1-year limited warranty Magnetic mount/strap DC current (w/ DC Zero)
Temperature differential
Worklight
Higher Safety Rating
CATIV 600V/CATIII 1000V
2-year limited warranty

✓ All DL589 Features
 PLUS 

True RMS CLAMP METER

Wireless to Smart Device
Free App: (iOS® / Android™)
3-Phase motor rotation test
Motor unbalanced test
Low pass filter
Auto AC/DC selection for V/A

**DL579 Includes** 

Test Leads (ATL55)
Alligator Clips (AAC3)
Temperature Probe (ATT29)
Zippered Pouch
Batteries 4 (AAA)
Certificate of Conformity

DL589 & DL599 Includes

Silicone Test Leads (ATL58)
Back Probes (APB3)
Alligator Clips (AAC3)
Temperature Probes 2 (ATT29)
Zippered Pouch
Batteries 4 (AAA)
Certificate of Conformity

# Clamp Meter Combos, Multimeter & Insulation Resistance Testers



**DL589COMBO** 053533509335 600A True-RMS Dual Display Clamp Meter w/2 ATTPC4 Pipe Clamps

- TRMS
- · Differential temperature
- LRA Inrush
- · 2-Year limited warranty



**DL579COMBO** 053533509342 600A True-RMS Dual Display Clamp Meter w/ATTPC4 Pipe Clamp

- 750/1000V AC/DC, 600A AC/DC
- AC/DC Microamps
- Dual Display
- · 1-Year limited warranty









**DM525** 053533508192 True RMS 1000V Wireless Multimeter w/Power Factor

- Measure energy efficiency
- · Wireless to Free App
- Low Z (Impedance)
- 2-Year limited warranty



IRT807 053533508147 1000V AC/DC Advanced Insulation Resistance Tester

- True RMS
- 1000V AC/DC
- Insulation Resistance: 20.00 Ohms to 20.0GOhms
- · 1-Year limited warranty

Part #	UPC	Description
DL569	<b>DL569</b> 053533509281 400A Dual Display Clamp Meter	
DM515	053533508185	True RMS 1000V Multimeter w/ Temperature
DM505	<b>DM505</b> 053533508178 1000V Digital Multimeter	
IRT803	RT803 053533508130 600V AC/DC Digital Insulation Resistance Tester	

# **Installation & Maintenance Kits**



**510KIT** 

UPC: 053533509380

Condensing Unit Install Kit
True RMS Clamp Meter (DL579)
Refrigerant Leak Detector (RLD15B)
Wireless Refrigeration Analyzer (HUB8)
UEi Tool Backpack



#### **511KIT**

UPC: 053533509397

Heat Pump Install Kit
Static Pressure Kit (EM720SPKIT)
True RMS Clamp Meter (DL579)
Refrigerant Leak Detector (RLD15B)
Wireless Refrigeration Analyzer (HUB8)
UEi Tool Backpack



#### TACK15

UPC: 053533509465

**Test and Check Kit**True RMS Clamp Meter (DL579)
Combustible Gas Leak Detector (CD100A)
Hi-Res Differential Manometer (EM720)
Pocket Thermometer (PDT550)



#### **520KIT**

UPC: 053533509403

Furnace Install Kit

True RMS Clamp Meter (DL579)
Combustible Leak Detector (CD100A)

Hi-Res Differential Manometer Static Pressure Kit (EM720SPKIT) Differential Thermometer (PDT655) UEi Tool Backpack



#### **521KIT**

UPC: 053533509410

Gas Furnace Install Kit

Carbon Monoxide Detector (COA2)
True RMS Clamp Meter (DL579)
Combustible Leak Detector (CD100A)
Hi-Res Differential Manometer Static

Pressure Kit (EM720SPKIT) Differential Thermometer (PDT655) UEi Tool Backpack



Soft Carrying Case (AC73)

#### **522KIT**

UPC: 053533509427

Oil Furnace & Boiler Install Kit

Combustion Analyzer (C1610IL) True RMS Clamp Meter (DL579) Combustible Leak Detector (CD100A) Hi-Res Differential Manometer Static

Pressure Kit (EM720SPKIT) Differential Thermometer (PDT655) UEi Tool Backpack



# **AC550**

UPC: 053533509410

Tool Backpack

Built rugged, waterproof base, two compartments with inner pocket options. Includes D-clip.

# Don't See The Kit You Like?

**Contact UEi** 

Ask about our custom kits.

It's All About

# Residential / Commercial Combustion Analyzers

BACKED BY



10 YEAR WARRANTY





# These C160 series Residential/Commercial Combustion Analyzer includes as Standard:









- 🗹 Eligible for UEi Service+
- Up to 10 year warranty
- 6-Line Backlit Display
- Measures CO
- Measures CO2
- Calculates 02

- Flue/Inlet Temperature
- **Efficiency**
- 🗹 Excess Air
- NOx Filtered CO Sensor
- Low Flow Detection
  Altitude Compensation
- IR Printer Port
- Protective Boot w/ Magnet
- Easy Access Water Trap
- 8 Pre-Programmed Fuels
- ✓ DMM Style Selector Dial
  ✓ USB Charging

See back cover for Warranty detials!

# Join us in reducing the risk of CO poisoning

Keep furnaces and boilers running efficient and check for proper venting and cracked heat exchanger with a C160 series Combustion Analyzer backed by **UEL SERVICE+ GUARANTEED**.

# **Techs Are Talking**

"UEi analyzers saved me by shortening my diagnostic time on the job. Thank You.

- Joseph S.

"UEi Analyzers are the best on the market. Accurate, durable for a competitive price. Awesome products!"

- John D.

"Your analyzers have solved many problems for me. I would recommend UEi to anybody.

- Zack R.

C161	C163	C165+
OZ 9,8837 102 5,8872 11 154F Ta 62F MAT 648 4 O All Standard Features PLUS ✓		
Differential Temperature	Differential Pressure	LINK Wireless
Heat Exchanger Test	Purge Pump Protection for CO Sensor	Probe Connection H2 Compensated, 10,000 ppm CO Sensor
	Wireless to Printer App	2 Wireless Pipe Clamp Probes
Your A	Analyzer, You	r Way!
<b>C161</b> 053533508338 Analyzer only	<b>C163</b> 053533508352 Analyzer, Hard Case	<b>C165+</b> 053533509151 Analyzer, Hard Case
<b>C161C</b> 53533509250 Analyzer, Hard Case	C163KIT 053533509243 Analyzer, Printer, Hard Case	C165+KIT 053533509168 Analyzer, Printer, Hard Case
C161KIT 053533509236 Analyzer, Printer, Hard Case		C165+OIL 053533509182 Analyzer, Smoke Pump Tester, Hard Case
C1610IL 053533509373 Analyzer, Smoke Pump Tester, Hard Case		C165+OILKIT 053533509212 Analyzer, Smoke Pump Tester, Printer, Hard Case
C1610ILKIT 053533509366 Analyzer, Smoke Pump Tester, Printer, Hard Case		C165+N 053533509175 Analyzer w/ Nitric Oxide Sensor, Hard Case
		C165+NKIT 053533509205 Analyzer w/ Nitric Oxide Sensor, Printer, Hard Case

# **Combustion Meter & Accessories**



C160 053533508321
Residential Combustion Meter

#### Measures

• 02, Flue Temperature, Inlet Temperature

#### Calculates

· CO2, Efficiency, Excess Air

#### Features

- Up to 10-year warranty w/ annual recertification
- · Eligible for UEi Service+
- Large 6-line backlit display
- Entry level combustion meter
- High altitude compensation
- 8 pre-programmed fuels

#### Includes

- Flue Probe
- · Charging cable

\$524.95 TNP\*



IRP-2 053533606911

Easy Load Fast Printer IR Link
(Combustion)



**CP2** 053533508918 Flue Gas Probe for C160 Series Combustion Analyzers



# **SPT1** 053533605198

#### Smoke Pump Test Kit

- To measure and test combustion smoke in your flue
- Works with combustion analyzers, including new C160 series analyzers
- · High impact barrel
- 1-Year limited warranty

<sup>\*</sup> Pricing subject to change. Contact UEi to confirm current pricing.

# We're Proud Sponsors of



NCOAA.US

# **Carbon Monoxide Detector**



COA2 053533508475 Carbon Monoxide Detector w/ Wireless Capabilities

- CO Detection: 1 to 999 ppm
- Resolution: 1 ppm
- iOS<sup>®</sup> and Android<sup>™</sup> compatible
- Use alone or connect to a smart device
- Visual LED and Audible alert
- 1-Year limited warranty







# **Combustible Gas Detector**



CD100A 053533503708
Combustible Gas Leak Detector

- Minimum detection: 50 ppm methane
- Long 18 inch gooseneck
- · Tip-light in sensor cap
- · Audible and visual tic rate
- 1-Year limited warranty

# Air Flow, Temperature, & Humidity



**DAFM3B** 053533507188

Digital Anemometer w/
Humidity Tester

- Measures: air velocity, temperature and humidity
- Calculates: wet bulb, dew point, and air volume (CFM/CMM)
- Up to 1 hour accumulative average
- 1-Year limited warranty



DAFM4 053533506877 Digital In-Duct Mini Vane Anemometer

- Measures: air velocity
- Calculates: air volume, dew point, wet bulb
- · In-duct or grill surface measurement
- 1-Year limited warranty



**DTHA2** 053533508420 Wireless Airflow/ Humidity/ Temperature Meter

- Free App
- iOS® and Android™ compatible
- Airflow 217 to 3937 ft/sec
- 1-Year limited warranty



DTH35 053533506938

Digital Pocket Psychrometer w/
Temperature/ Relative Humidity/
Enthalpy

- Wet Bulb/Dew Point
- Backlit display
- Min/Max
- 1-Year limited warranty

# **Infrared Thermometers**



INF165C 053533507416

12:1 Infrared Thermometer

- · Circular laser defines target
- Max value capture
- 2 Emissivity levels, selectable: (0.70, 0.95)
- 1-Year limited warranty



INF195C 053533507423 12:1 Infrared Thermometer w/ K-Type Input

- Circular laser defines target
- · Differential temperature
- Min/Max/Avg/Diff
- 1-Year limited warranty



# 8-Point Circular Laser Advantage

The circular laser directly outlines the measured spot at all distances eliminating potential errors from guessing the size of the measured spot.

# A2L, What You Need To Know

Specific tools that can be certified to service A2L equipment are recovery machines, vacuum pumps, and leak detectors.



The UEi **RLD15B** Refrigerant Leak Detector is "**A2L Certified**" to the SAE 2913 standard, which includes "Component Ignition Testing".



UEi's other Refrigeration products outside that product category are designed to work with equipment using A2L refrigerants and categorized as "A2L Compatible".



RLD15B
UPC: 053533507430
Refrigerant Leak Detector
w/ Solid Electrolyte Sensor

- A2L certified (SAE J2913)
- 3 Sensitivity levels
- Digital numeric leak size indicator
- · 2-Year limited warranty

# **Wireless Refrigeration Scales**



# 3 Wireless Charging Scales have these Standard features!

Measurements can be made on uneven ground

Load can be weighed accurately even if uncentered

Requires compatible mobile device and free iOS® or Android™ App

Wireless range up to 100 ft (30m)

✓ Water resistance and dust proof

1-Year limited warranty

110lb Load Capacity

0.1 oz Resolution

WRS110	<b>WRS220</b>	WRSX
UPC: 053533507584	UPC: 053533507577	UPC: 053533581195
	UL .	ABB. BB ABA

# TANDARD Features PLUS WRS110 Features PLUS

220lb Load Capacity
0.2 oz Resolution

WRS220 Features PLUS
330lb Load Capacity

0.25 oz Resolution

Digital Backlit Display

Part #	UPC	Description
DM150	053533507720	Vacuum Micron Gauge
HA1	053533500752	Hermetic Compressor Analyzer
RLD10	053533503937	Refrigerant Leak Detector
CLM100	053533503289	Cable Length Meter

# View All Indoor and Outdoor AC/R System Parameters from One Location

Wireless Vacuum Gauge Probe

Target Superheat Calculation

Pressure Probes w/ 180° Articulation

Refrigerant Pass Through Port

Wireless Pipe Clamps



HUB8 053533508598

Smart Refrigeration Probes Deluxe Kit w/ Vacuum Gauge



#### HUB6 053533508246

#### Smart Refrigerant Complete Kit

- In App temperature split and psychrometric calculations
- In App system refrigerant charging calculations
- Pass thru refrigerant ports for easily adding or recovering refrigerant from the system
- 180 degree rotation for easy use in cramped spaces
- 1-Year limited warranty



## WVG2 053533508604 Wireless Vacuum

#### Wireless Vacuum Gauge Probe

- Vacuum Range: 2000 microns
- 700 PSI (36200446.8716772 microns) Maximum Over Range
- Temperature Range:10 to 122 °F
- Easy to use vacuum gauge probe
- Can work with independently or with other HUB probes
- 1-Year limited warranty



## HUB4 053533508239

# Smart Refrigerant Charging Kit

- In App system refrigerant charging calculations
- Pass through refrigerant ports for easily adding or recovering refrigerant from the system
- 180 degrees rotation for easy use in cramped spaces
- Pressure range: 0 to 725 psig
- · 1-Year limited warranty



## **WOT2** 053533508611 Wireless Outside

#### Temperature Probe

- Temperature Range: 32° to 180°F
- · Works in two positions
- Real time target superheat calculation (With WHP1)
- Calculate Real Time Target Superheat (requires WHP1 & HUB App)
- 1-Year limited warranty

Part #	UPC	Description
AORK1	053533508390	WPP1 O-Ring Replacement Kit for HUB probes



# "UEi HUB" One App for HUB Probes



#### **Measurement & Calculations**

- Liquid and Suction line pressures, temperatures, saturations and outdoor dry bulb
- · Superheat, subcooling and target superheat
- Delta and target delta temperatures
- Air Return and supply relative humidity, dry bulb, wet bulb, dew point and enthalpy
- Vacuum & deepest vacuum
- · Evacuation and rise Limit target, timer
- H20 saturation point indication
- Selectable units of measure
- High altitude compensation
- 118 refrigerants list and favorites menu

#### **Vacuum Screen**

Dual Mode Vacuum screen for Evacuation and Rise Tests.

Allows you to easily set Evacuation and Rise Tests values and timer.







#### **Quick Connections**

Easily assign where probes are used on system.



#### **Refrigeration Screen**

View Refrigerant values and *real-time target superheat*. Select from list of 57 refrigerants and save most used types.





#### Air Side Screen

Air Side screen displays return & supply measurements allowing users to view additional calculations.









Requires compatible mobile device Android™ 5+, iOS® 10+ or iPadOS™ 10+

HUB is compatible with measureQuick® (except WVG2 wireless vacuum gauge)

# LIEI SERVICE+ GUARANTEED

# We've Got You Covered!

# Complete Care for your Combustion Analyzer









**10 Year Warranty:** All UEi combustion analyzers have a standard 1-year warranty. Each recertification extends the warranty for 1 more year for up to *10 years* from the date of purchase.

Contractors who book recertification of a C160 series analyzer at www.ueitest.com/service within 12 months from either the date of purchase or the date of the last recertification will receive reduced service pricing¹ that lowers the cost of ownership and 2 additional benefits:

**Same Day Service:** All qualifying analyzers received for recertification through UEi Service+ are returned on the same business day, **GUARANTEED**.<sup>2</sup>

**Free Shipping:** UEi Service+ offers free shipping both to and from our service center. When customers book their recertification, they receive a prepaid UPS Ground shipping label.

See complete details at ueitest.com/service



Available to US customers only.

<sup>1</sup>Pricing subject to change without notice. <sup>2</sup>We'll need 48 hours for analyzers with a NO (Nitric Oxide) sensor installed.