


# PRODUCT GUIDE 2025 SUMMER



# **Heating • Cooling • Air Flow ALL IN ONE - HVAC/R ANALYZER**

## KANE460

UPC: 053533509595 HVAC/R Analyzer

- Test Residential/Commercial Gas, Oil, and Biomass Equipment
- Heat Exchanger Integrity Test
- Appliance Sweep Test for CO Leaks

Plus access full HVAC/R Analysis with optional wireless probes

- Commission and test Heat Pumps, A/C and Refrigeration systems
- Measure building IAQ and Ventilation
- Monitor and Log Ambient CO

# Includes (Base configuration)

- Flue Probe (CP2)
- Charger
- · Pressure Hose
- Handset pouch
- UEi Tool Backpack
- Manual





# Add These Probes For Full HVAC/R Analysis

COL

# AC/Refrigeration



# CO Monitoring

See page 13

# IAO Ventilation

DTHA2 See page 14

8.8% CO

5.42% 502

1. 349 Tf -N/F- Ta

11:08:25AM 20/02/19 F

02

NOx

7 NO2

10 H2S



# What's NEW

### **EPC**

UPC: 053533510027

Everyday Professional Clamp Meter

UEi's EPC is the Everyday Clamp Meter designed for HVAC/R professionals with a new look, over-molded rubber grip. Everyday testing specifications, packed with useful features and integrated with the new, comprehensive and seamless UEi HUB app.

See EPC details on pg 5.

Suggested Trade Net Price \$235.24





See app details on pg 16.



## **EM700**

UPC: 053533510010 *Differential Manometer* 

The UEi EM700 is an easy-to-use differential manometer for draft, gas supply, manifold, or burner pressure.

The EM700 is capable of capturing minimum or maximum pressure values as well as calculate timed mean average pressure on selected interval.

See EM700 details on pg 9.

Suggested Trade Net Price \$199.94



Pricing is current at time of printing, subject to change.

# Award Winning True-RMS Clamp Meters



Designed by us for HVAC/R professionals

Made in our ISO 9001 factory managing costs & quality

Backed by our ISO 17025 Operations Center in Indianapolis

# • 3 Clamp Meters with all this as Standard





Dual display

AC /DC Volts

AC current (amps)

✓ LRA inrush AC/DC microamps\*

Resistance (Ohms)

Continuity/Diode

Capacitance (Farads)



✓ Frequency

Duty cycle

Low Z (impedance)

Temperature (K-type input)

MCV (LED & Audible) Min/Max/Hold

Auto and Manual Ranging

Auto power off Low battery warning

Test lead storage

High voltage alert Auto Calibration

Easy access battery latches

Backlight

Magnet hanger options

Over-molded grip

CATIV 600V 2-year limited warranty

Certified by ETL to IEC 61010-1, 3rd edition

# **Techs Are Talking**

"Feels good in your hand!!"

- Shawn H

"They are super accurate and practical...

Probably the best meter for your money - thank you!"

- Antonio A.

"Very comprehensive and accurate, love the dual screens-nice job guys! As Paul Harvey used to say about great things, lead on!"

- Chet D.

"Love my UEi test instruments clamp meter! I have use it every day, definitely my favorite tool! "

- Dvlan B.

"Best damn meters out there."

- Aaron L.

<sup>\*</sup>DL599 features DCµA only.



#### **EPC Includes**

Silicone Test Leads (ATL58)
Back Probe Leads (ABP3)
Alligator Clips (AAC3)
Temperature Probes K-type
(ATT29)
Zippered Pouch (AC670)
Batteries AAA (4)
Certificate of Conformity

#### DL589 & DL599 Includes

Silicone Test Leads (ATL58)
Back Probes (APB3)
Alligator Clips (AAC3)
Temperature Probes 2 (ATT29)
Zippered Pouch
Batteries 4 (AAA)
Certificate of Conformity

# Clamp Meter Combos, Multimeter & Insulation Resistance Testers



**EPCCOMBO** 053533509281

True-RMS Everyday Professional

Clamp Meter w/ ATTPC4 Pipe Clamp

• 2-Year limited warranty



DL589COMBO 053533509335
True-RMS Clamp Meter

w/ 2 ATTPC4 Pipe Clamps

· 2-Year limited warranty



Now Includes Capacitance & Microamps!

**DL569** 053533509281 **400A Dual Display Clamp Meter** 

- 1000V AC/750V DC
- Resistance  $40k\Omega$
- Millivolt DC
- Dual Display
- 1-Year limited warranty









**DM525** 053533508192 True RMS 1000V Wireless Multimeter w/Power Factor

- · Measure energy efficiency
- Wireless to Free App
- Low Z (Impedance)
- · 2-Year limited warranty

Part #	UPC	Description
DM515	053533508185	True RMS 1000V Multimeter w/Temperature
DM505	053533508178	1000V Digital Multimeter
IRT807	053533508147	1000V AC/DC Advanced Insulation Resistance Tester
IRT803	053533508130	600V AC/DC Digital Insulation Resistance Tester

# Installation & Maintenance Kits UPGRADED



510KIT

UPC: 053533509380

Condensing Unit Install Kit

NEW Wireless Everyday

Professional Clamp Meter (EPC) Refrigerant Leak Detector (RLD15B) Wireless Refrigeration Analyzer (HUB8) UEi Tool Backpack



#### **511KIT**

UPC: 053533509397

Heat Pump Install Kit
Static Pressure Manometer Kit
(FM720SPKIT)

**NEW** Wireless Everyday

Professional Clamp Meter (EPC) Refrigerant Leak Detector (RLD15B) Wireless Refrigerant Analyzer (HUB8) UEi Tool Backpack



TACK15

UPC: 053533509465

Test and Check Kit

400A Dual Display Clamp Meter (DL569) Combustible Gas Leak Detector (CD100A) NEW Differential Manometer (EM700) Pocket Thermometer (PDT550) Soft Carrying Case (AC73)



**520KIT** 

UPC: 053533509403

Furnace Install Kit

NEW Wireless Everyday Professional Clamp Meter (EPC) Combustible Leak Detector (CD100A) Static Pressure Manometer Kit

(EM720SPKIT)

Differential Thermometer (PDT655) UEi Tool Backpack



UPC: 053533509410

Gas Furnace Install Kit

Carbon Monoxide Detector (COA2)

NEW Wireless Everyday Professional

Clamp Meter (EPC)
Combustible Leak Detector (CD100A)
Static Pressure Kit (EM720SPKIT)
Differential Thermometer (PDT655)
UEi Tool Backpack



#### **522KIT**

UPC: 053533509427

Oil Burner & Boiler Install Kit

Combustion Analyzer (C1610IL) NEW Wireless Everyday

Professional Clamp Meter (EPC) Combustible Leak Detector (CD100A) Static Pressure Kit (EM720SPKIT) Differential Thermometer (PDT655) UEi Tool Backpack



AC550

UPC: 053533509410

Tool Backpack

Built rugged, waterproof base, two compartments with inner pocket options. Includes D-clip.

# Don't See The Kit That Works For You?

Ask About
Our Custom Kits.

# **Digital Temperature Tester**



### **DT720**

UPC: 053533509434

#### Dual Input Temperature Tester

- 2 Inputs
- Differential T1-T2
- Accepts 6 different types of thermocouples
- 9,999 display count
- Min/Max/Avg/Hold
- 1-Year limited warranty







# **Digital Pocket Thermometers**

Part #	550B	PDT550	PDT650	PDT655	PDT660
UPC:	053533701173	053533700930	053533701289	053533508543	053533508451
			91	Se H	
Temperature Range -58° to 572°F	•	•	•	•	•
Min/Max	•	•	•	•	•
Auto power off	•	•	•	•	•
Built-in magnet	•	•	•	•	
Hold	•	•			
Ingress Protection	Water Resistant	Water Proof			
NSF listed	•	•			•
Backlight Display				•	•
Folding			•	•	•
Warranty	3-Year limited	1-Year limited	3-Year limited	1-Year limited	1-Year limited

# **Pressure Meter**

### **DPM**

UPC: 053533509564

#### Wireless Differential Manometer

- Wireless Differential Manometer to test static, gas & draft pressures
- Measures Pressure ±80 inWC
- Wireless Connection to Free App.
- Easy to Read Backlit Display Magnet for Hands Free Use
- 1-Year limited warranty



#### **SPMKIT**

UPC: 053533509571

#### Wireless Static Pressure Kit

- 2 Wireless Manometer for testing static, gas & draft pressures
- Measures Pressure +80 inWC
- Includes static pressure accessory kit
- 1-Year limited warranty















## **EM700**

UPC: 053533510010

#### Differential Manometer

- Easily measure pressure drops across heat exchangers, cooling coils, supply and return registers
- Large easy-to-read backlit display
- Work hands free with built-in magnetic mount
- 1-Year limited warranty



#### **EM720**

UPC: 053533509359

#### Hi-Res Differential Manometer

- Measures Pressure +80 inWC
  - Temperature compensation protects accuracy from ambient temperature.
- HOLD MIN/MAX/AVG
- Capture
- Ambient temperature measurement
- 1-Year limited warranty



#### EM720SPKIT

UPC: 053533509458

# Hi-Res Differential Manometer

#### Static Pressure Kit

- EM720 Manometer plus
- Stepped T Fitting (2)
- Static Pressure Probe (2)
- Pressure Tubing w/ Brass Fitting (2)
- Step connector w/ 3.15" tubing (2)
- 60" Pressure Tube
- 3 (AA) Batteries
- 1-Year limited warranty



#### SPAK1

UPC: 053533606515 Static Pressure

# Accessory Kit

- Static Pressure Probe (2) (ASP1)
- 60" Pressure Tube
- Stepped T Fitting (2) (TF100)
- Soft Carrying Case (AC319)

Part #	UPC	Description
AGVA	053533607109	Gas Valve Adapter Accessory (x2 tubes & fittings)

# Residential / Commercial Combustion Analyzers

BACKED BY



10 YEAR WARRANTY





# These C160 series Residential/Commercial Combustion Analyzer includes as Standard:









- Eligible for UEi Service+
- Up to 10 year warranty
- 6-Line Backlit Display
- Measures CO
  Measures CO2
- Calculates 02
- Flue/Inlet Temperature
- Excess Air
- NOx Filtered CO Sensor
- Low Flow Detection
  Altitude Compensation
- 🗹 IR Printer Port
- Protective Boot w/ Magnet
- Easy Access Water Trap
- 8 Pre-Programmed Fuels
- DMM Style Selector Dial
  USB Charging

See back cover for Warranty details!

# Join us in reducing the risk of CO poisoning

Keep furnaces and boilers running efficient and check for proper venting and cracked heat exchanger with a C160 series Combustion Analyzer backed by award-winning **UEI SERVICE+ GUARANTEED!** 

# Introducing



Any purchase of C165+ Combustion Analyzer (or C165+ kit variation) includes our new **UEi Concierge+** service. Register your analyzer at ueitest.com to receive details on how to book a 15-minute call with a certified technician about your new analyzer. From general setup, using any of the testing functions, or how to utilize the benefits of **UEi Service+ Guaranteed!** It's your time with the technician.

C161	C163	C165+
All Standard Features PLUS >		✓ All C163 Features  PLUS ➤
Purge Pump Protection for CO Sensor	Differential Pressure	CONCIERGE +
Differential Temperature	Wireless to Printer App	<b>LINK</b> Wireless Probe Connection
Heat Exchanger Test		H2 Compensated, 10,000 ppm CO Sensor
		2 Wireless Pipe Clamp Probes
Your A	Analyzer, You	r Way!
<b>C161</b> 053533508338 Analyzer only	<b>C163</b> 053533508352 Analyzer, Hard Case	<b>C165+</b> 053533509151 Analyzer, Hard Case
<b>C161C</b> 53533509250 Analyzer, Hard Case	C163KIT 053533509243 Analyzer, Printer, Hard Case	C165+KIT 053533509168 Analyzer, Printer, Hard Case
C161KIT 053533509236 Analyzer, Printer, Hard Case		C165+OIL 053533509182 Analyzer, Smoke Pump Tester, Hard Case
C1610IL 053533509373 Analyzer, Smoke Pump Tester, Hard Case		C165+OILKIT 053533509212 Analyzer, Smoke Pump Tester, Printer, Hard Case
C1610ILKIT 053533509366 Analyzer, Smoke Pump Tester, Printer, Hard Case		C165+N 053533509175 Analyzer w/ Nitric Oxide Sensor, Hard Case
	•	C165+NKIT 053533509205 Analyzer w/ Nitric Oxide Sensor, Printer, Hard Case

# **Combustion Testers**

For specific equipment testing in place of full combustion analysis



**CEA** 053533509786

### **Combustion Efficiency Tester**

- Save fuel, reduce pollution & increase efficiency
- Measure: Flue stack temperature, and CO2 in real time
- Calculate: 02, Combustion Efficiency, and Excess Air



**HET** 053533509793

# Heat Exchanger Tester

- Heat Exchanger Integrity Test
- Furnace Safety Test
- Measure: CO & CO2
- Calculate: 02 & Excess air

Part #	UPC	Description
IRP-2	053533606911	Easy Load Fast IR Printer
CP2	053533508918	Flue Gas Probe for C160 Series Combustion Analyzers
SPT1	053533605198	Smoke PumpTest Kit
AC509	053533605723	Hard Carrying Case C160 Series Combustion Analyzers

# **Carbon Monoxide Solutions**

#### **COA** 053533509540

#### CO Analyzer

- Test boilers, cookers, grills, and ovens for CO
- · Perform 2-minute appliance sweep test
- Use KANE LINK™ to connect up to 4 COL CO Loggers to combine ambient air tests
- Save & send results to KANE LIVE™ app or optional printer







# COL 053533509557

# CO Logger and Room CO Monitor

- · Monitor CO in ambient air
- Combine ambient & appliance tests with KANE LINK™ enabled analyzer
- Log CO every minute for up to 2 weeks
- See results on **KANE LIVE™** app









# COA2 053533508475 Carbon Monoxide Detector w/ Wireless Capabilities

- CO Detection: 1 to 999 ppm
- · Resolution: 1 ppm
- iOS® and Android™ compatible
- Use alone or connect to a device
- Visual LED and Audible alert
- 1-Year limited warranty







# **CD100A** 053533503708

#### Combustible Gas Leak Detector

- Minimum: 50 ppm methane
- · Long 18 inch gooseneck
- Tip-light in sensor cap
- · Audible and visual tic rate
- 1-Year limited warranty



# Air Flow, Temperature, & Humidity



DAFM3B 053533507188
Digital Anemometer w/
Humidity Tester

- Measures: air velocity, temperature and humidity
- Calculates: wet bulb, dew point, and air volume (CFM/CMM)
- Up to 1 hour accumulative average
- 1-Year limited warranty



DAFM4 053533506877 Digital In-Duct Mini Vane Anemometer

- · Measures: air velocity
- Calculates: air volume, dew point, wet bulb
- In-duct or grill surface measurement
- 1-Year limited warranty



# **DTHA2** 053533508420 Wireless Airflow/ Humidity/ Temperature Meter

- Free App
- iOS® and Android™ compatible
- Airflow 217 to 3937 ft/sec
- Connects to KANE LINK™ enabled analyzers
- 1-Year limited warranty



### DTH35 053533506938

Digital Pocket Psychrometer w/ Temperature/ Relative Humidity/ Enthalpy

- · Wet Bulb/Dew Point
- Backlit display
- Min/Max
- · 1-Year limited warranty





# **Infrared Thermometers**



# **INF165C** 053533507416 12:1 Infrared Thermometer

- Circular laser defines target
- · Max value capture
- 2 Emissivity levels, selectable: (0.70, 0.95)
- 1-Year limited warranty



# INF195C 053533507423 12:1 Infrared Thermometer w/ K-Type Input

- · Circular laser defines target
- Differential temperature
- Min/Max/Avg/Diff
- 1-Year limited warranty



# 8-Point Circular Laser Advantage

The circular laser directly outlines the measured spot at all distances eliminating potential errors from guessing the size of the measured spot.

# A2L, What You Need To Know

Specific tools that can be certified to service A2L equipment are recovery machines, vacuum pumps, and leak detectors



The UEi **RLD15B** Refrigerant Leak Detector is "A2L Certified" to the SAE 2913 standard, which includes "Component Ignition Testing".



UEi's other Refrigeration products outside that product category are designed to work with equipment using A2L refrigerants and categorized as "A2L Compatible".



UPC: 053533507430 Refrigerant Leak Detector w/ Solid Electrolyte Sensor

- A2L certified (SAE J2913)
- 3 Sensitivity levels
- Digital numeric leak size indicator
- 2-Year limited warranty

# **Wireless Refrigeration Scales**



# 3 Wireless Charging Scales have these Standard features!



0.1 oz Resolution

Measurements can be made on uneven ground



▼ Requires compatible mobile device and free iOS® or Android™ App.

Wireless range up to 100 ft (30m)

Water resistance and dust proof

1-Year limited warranty



# Works with UEi HUB App

		• • • • • • • • • • • • • • • • • • • •
WRS110	WRS220	WRSX
UPC: 053533507584	UPC: 053533507577	UPC: 053533581195
		FRES, SEAR
STANDARD Features PLUS	WRS110 Features PLUS	WRS220 Features PLUS
<b>U</b> PGRADED	<b>U</b> PGRADED	330lb Load Capacity
Digital Backlit Display	220lb Load Capacity	0.25 oz Resolution
110lb Load Capacity	0.2 oz Resolution	

Part #	UPC	Description
DMG150	053533507720	Vacuum Micron Gauge
HA1	053533500752	Hermetic Compressor Analyzer
CLM100	053533503289	Cable Length Meter

# View All Indoor and Outdoor AC/R System Parameters from One Location

Wireless Vacuum Gauge Probe

Target Superheat Calculation

Pressure Probes w/ 180° Articulation

Refrigerant Pass Through Port

Wireless Pipe Clamps



Smart Refrigeration Probes Deluxe Kit w/ Vacuum Gauge



#### HUB6 053533508246

# Smart Refrigerant Complete Kit

- In App temperature split and psychrometric calculations
- In App system refrigerant charging calculations
- Pass thru refrigerant ports for easily adding or recovering refrigerant from the system
- 180 degree rotation for easy use in cramped spaces
- 1-Year limited warranty



# **WVG2** 053533508604

### Wireless Vacuum Gauge Probe

- Vacuum Range: 2000 microns
- 700 PSI Maximum Over Range
- Temperature Range:10 to 122 °F
- Easy to use vacuum gauge probe
- Can work with independently or with other HUB probes
- 1-Year limited warranty



# HUB4 053533508239

# Smart Refrigerant Charging Kit

- In App system refrigerant charging calculations
- Pass through refrigerant ports for easily adding or recovering refrigerant from the system
- 180 degrees rotation for easy use in cramped spaces
- Pressure range: 0 to 725 psig
- · 1-Year limited warranty



# WOT2 053533508611

# Wireless Outside

#### Temperature Probe

- Temperature Range: 32° to 180°F
- · Works in two positions
- Real time target superheat calculation (With WHP1)
- Calculate Real Time Target Superheat (requires WHP1 & HUB App)
- 1-Year limited warranty



# **UEi HUB Connects More!**



# **UPGRADED**



## **Refrigeration Screen**

View Refrigerant values and *real-time target superheat*. Select from list of 57 refrigerants and save most used types.

629 THAI, MAY TA # *** -	
Line Pressure	Ref Side 4-10-10 10-
130.8 PSIG	408.2 PSIG
45,2	118.0
58,6	109.1
13,4	8.9
8.6 *F	9.,1
45.2	O R410A
Ω Ε	

# | 10 me (m) | 1 me | 10 me | 1

#### Air Side Screen

Measure and calculate return & supply values.

839 Well Unity N	A55	Air Side
20.5	i	16,5
0.0	i	0.0
41.7%	52.7°F	10000000
41.8%	52.7°F	27.9btu/lb
77.8		77.8
62.4		62.4
0.002 PSIG	Pt). •	0.002 PSIG
<b>⋒</b> □		

# Vacuum Screen

Vacuum screen for Evacuation and Rise Tests. Easily set Evacuation and Rise Tests values and timers.





# **Report Export**

See a system's performance with color coded reference.




## **Scales Screen**

Connect refrigerant charging scales (see pg 15)



#### **Electrical Screen**

Connect clamp meter (see pg 3)



#### **Air Flow Screen**

Connect air flow meter (see pg 14)



# **CO Detection Screen**

Monitor Carbon Monoxide (see pg 13)



#### **Quick Connections**

Easily assign where probes are used on system.



# **Accessories**

### **TEST LEADS**

Part #	UPC	Description
AAC	053533600759	Alligator Clips, Slip-On
AAC3	053533603866	Alligator Clips, Screw-On
ATLTX	053533606478	ModularTest Lead Extension Wire*
ATL1	053533606416	Modular LeadTips- Standard*
ATL2	053533606423	Modular LeadTips- Alligator*
ATL3	053533606430	Modular LeadTips- GrabberTip*
ATL5	053533606454	Modular LeadTips- Back Probe*
ATL6	053533606461	Modular LeadTips- Piercing*
ATL55	053533602043	Test Leads (Standard)
ATL57	053533606621	Silicone Test Leads
ATL301KIT	053533605716	Test Lead Kit
ATLBPK	053533606492	Back ProbeTest Lead Kit
ABP3	053533606973	Back ProbeTest Leads for DL589 & DL599
ATL58	053533606966	Silicone test leads for DL589 & DL599
ATL92	053533607031	Insulation Test Probe & Alligator Clip
ATLCAP	053533507553	Test Lead Shield Caps

### **CLIPS & ADAPTERS**

ACF1	053533600766	Female Adapter Cord (HA1)
ACS1	053533600780	Velcro Pipe Straps
ASP1	053533606133	Magnetic Static Pressure Probe
ATHA1	053533600964	Gas Valve Thermocouple Adapter
TF100	053533606775	Stepped "T" Fitting
AACA4	053533605303	AC 9V 700mA Adapter for C100A/ C50/ C75/ CO91
AACA5	053533607000	USB Charger For C160 Series Analyzers
AJW1	053533606850	Jump wires (10 pack)
AMH1	053533606843	Magnetic Hanger Strap (DM505, DM151, and DM525)
AMH2	053533606980	Magnetic Hanger Strap for DL569 and DL579 only
АМН3	053533606997	Replacement Magnetic Hanger Strap (DL589 & DL599 )

# **PRESSURE**

AORK1	053533508390	WPP1 O Ring Kit
AVGA	053533607109	Gas Valve Adapter with Tubing
BF100	053533603811	Gas Valve Pressure Adapter (EM201B)
BF102	053533602166	Gas Valve Pressure Adapter (EM152)
SPAK1	053533606515	Static Pressure Accessory Kit

# **TEMPERATURE PROBES**

Part #	UPC	Description
ATT6	053533601558	J-Type standard 4' oven clip probe
ATT19	053533603699	J-Type oven clip probe
ATT26	053533601237	J-Type liquid probe
ATT27	053533601244	J-Type bead probe
ATT29	053533601268	K-Type fiberglass coated probe
ATT29A	053533602227	K-Type fluoroplastic coated probe
ATT29APACK	053533606393	K-Type fluoroplastic coated probe (10 pack)
ATT30	053533601299	J-Type 8" Liquid probe
ATT36	053533601329	K-Type SurfaceTemperature Probe
ATT39	053533605969	K-Type probe w/ wire wrap handle (DT302 & DT304)
ATT70	053533603347	K-Type to input jack adapter
ATT71	053533602159	K-Type to input jack temperature probe
ATT100	053533602357	K-Type 6" liquid probe
ATTEXT	053533606126	K-Type 10' extension
ATTPC3	053533606942	K-Type pipe clamp adapter
ATTPC4	053533508406	K-Type pipe clamp adapter

### **LEAK**

RLD15SENS	053533606119	Replacement Sensor (RLD15)
RLDLS	053533606096	LeakTest Vial (RLD15)
RLDSENS	053533603729	Replacement Sensor (RLD10)
RS1000	053533603354	Replacement Sensor (CD100A/CD200)
RS1010	053533603378	Sensor Caps (CD100A (2 Versions) & CD200)
RLDTF	053533606102	Tip Filter (5 Pack) (RLD15)

# **CARRYING CASES**

AC12	053533606522	Test lead kit pouch
AC73	053533605273	Soft carrying case (12"x 15"x 3.5")
AC319	053533603958	Soft carrying case (10"x 6"x 2.75")
AC419	053533508765	Wireless Refrigerant Scale Carrying Case
AC504	053533602814	Hard carrying case (10"x 13.75"x 3.5")
AC509	053533605723	C series red carrying case (19"x 14"x 4.75")
AC519	053533603965	Soft carrying case (13"x 6"x 2.75")
AC550	053533607024	UEiTool Backpack
AC570	053533607147	Soft carrying case w/ zippered accessory compartment
AC619	053533606881	HUB8 Carrying Case w/ Foam Inserts



# An Award-Winning Promise To Never Let You Down



**10 Year Warranty:** All UEi combustion analyzers have a standard 1-year warranty. Each recertification extends the warranty for 1 more year for up to *10 years* from the date of purchase.



Contractors who book recertification of a C160 series analyzer at www.ueitest.com/service within 12 months from either the date of purchase or the date of the last recertification will receive reduced service pricing¹ that lowers the cost of ownership and 2 additional benefits:



**Same Day Service:** All qualifying analyzers received for recertification through UEi Service+ are returned on the same business day, **GUARANTEED**.<sup>2</sup>



**Free Shipping:** UEi Service+ offers free shipping both to and from our service center. When customers book their recertification, they receive a prepaid UPS Ground shipping label.

# See complete details at ueitest.com/service



**UEI SERVICE+ GUARANTEED!** won GOLD in the 2024 Dealer Design Awards "Service & Software" category.

The Dealer Design Awards recognize product design that assists contractors with the installation, maintenance, and service of HVAC/R Products and is the only industry award judged exclusively by HVAC/R contractors.

Available to US customers only.

<sup>1</sup>Pricing subject to change without notice. <sup>2</sup>We'll need 48 hours for analyzers with a NO (Nitric Oxide) sensor installed.