


ACA

Advanced Combustion Analyzer

A new solution designed for HVAC/R professionals analyzing commercial boilers and furnaces. See pages 3, 11

NEW



NEW

UEiCLiP

Everyday Personal CO Monitor

Work with confidence knowing CO levels are safe. Turn it on and forget it. See pages 3, 13




UPGRADED

Comprehensive HVAC/R App For UEi's Wireless Solutions!
See pages 16

About Us



*We are a second-generation
family operated business*



*Most of our products are made in our
UK & Korean ISO9001 Certified Factories
Shipped and serviced from our
Indianapolis ISO 17025 Certified Service Center*



*We work hard to deliver our
award-winning customer service.
Our promise to never let you down!*

What's NEW

ACA

UPC: 053533510041

Advanced Combustion Analyzer

UEi's ACA is the Advanced Combustion Analyzer designed for HVAC/R professionals to analyze commercial boilers and furnaces. Backed by an industry-leading and award-winning recertification service

UEi Service+ Guaranteed! FOR LIFE

Our promise to never let you down.

See ACA details on pg 11.

Suggested Trade Net Price \$1,759.94



See app details on pg 16-17.



UEiCLiP 053533510065

Everyday Personal CO Monitor

Work with confidence knowing CO levels are safe. Turn it on and forget it. Once activated, UEiCLiP operates for up to 2 years.

Indicator lights provide warning, operation status and low battery indication.

See UEiCLiP details on pg 13.

Suggested Trade Net Price \$99.95



Pricing is current at time of printing, subject to change.

View All Indoor and Outdoor AC/R System Parameters from One Location

Wireless Vacuum Gauge Probe

Target Superheat Calculation

Pressure Probes w/ 180° Articulation

Refrigerant Pass Through Port

Wireless Pipe Clamps



HUB8 053533508598

Smart Refrigeration Probes Deluxe Kit w/ Vacuum Gauge



HUB6 053533508246

Smart Refrigerant Complete Kit

- In App temperature split and psychrometric calculations
- In App system refrigerant charging calculations
- Pass thru refrigerant ports for easily adding or recovering refrigerant from the system
- 180 degree rotation for easy use in cramped spaces
- 1-Year limited warranty



WVG2 053533508604

Wireless Vacuum Gauge Probe

- Vacuum Range: 2000 microns
- 700 PSI Maximum Over Range
- Temperature Range: 10 to 122 °F
- Easy to use vacuum gauge probe
- Can work with independently or with other HUB probes
- 1-Year limited warranty



HUB4 053533508239

Smart Refrigerant Charging Kit

- In App system refrigerant charging calculations
- Pass through refrigerant ports for easily adding or recovering refrigerant from the system
- 180 degrees rotation for easy use in cramped spaces
- Pressure range: 0 to 725 psig
- 1-Year limited warranty



WOT2 053533508611

Wireless Outside Temperature Probe

- Temperature Range: 32° to 180°F
- Works in two positions
- Real time target superheat calculation (With WHP1)
- Calculate Real Time Target Superheat (requires WHP1 & HUB App)
- 1-Year limited warranty

A2L, What You Need To Know

Specific tools that can be certified to service A2L equipment are recovery machines, vacuum pumps, and leak detectors.



The UEi **RLD15B** Refrigerant Leak Detector is “**A2L Certified**” to the SAE 2913 standard, which includes “Component Ignition Testing”.



UEi's other Refrigeration products outside that product category are designed to work with equipment using A2L refrigerants and categorized as “**A2L Compatible**”.



RLD15B

UPC: 053533507430

**Refrigerant Leak Detector
w/ Solid Electrolyte Sensor**

- A2L certified (SAE J2913)
- 3 Sensitivity levels
- Digital numeric leak size indicator
- 2-Year limited warranty

Wireless Refrigeration Scales



3 Wireless Charging Scales have these *Standard* features!

- ☒ Measurements can be made on uneven ground
- ☒ Load can be weighed accurately even if off centered
- ☒ Requires compatible mobile device and free iOS® or Android™ App
- ☒ Wireless range up to 100 ft (30m)
- ☒ Water resistance and dust proof
- ☒ 1-Year limited warranty



Works with UEi HUB App

WRS110	WRS220	WRSX
UPC: 053533507584	UPC: 053533507577	UPC: 053533581195
		
STANDARD Features PLUS	WRS110 Features PLUS	WRS220 Features PLUS
UPGRADED	UPGRADED	330lb Load Capacity
Digital Backlit Display	220lb Load Capacity	0.25 oz Resolution
110lb Load Capacity	0.2 oz Resolution	
0.1 oz Resolution		

Part #	UPC	Description
DMG150	053533507720	Vacuum Micron Gauge
HA1	053533500752	Hermetic Compressor Analyzer
CLM100	053533503289	Cable Length Meter

Award Winning True-RMS Clamp Meters

DESIGNED BY
MADE BY
BACKED BY
UEI

Designed by us for HVAC/R professionals
Made in our ISO 9001 factory managing costs & quality
Backed by our ISO 17025 Operations Center in Indianapolis

3 Clamp Meters with all this as *Standard*



- ☒ True RMS
- ☒ Dual display
- ☒ AC/DC Volts
- ☒ AC current (amps)
- ☒ LRA inrush
- ☒ AC/DC microamps*
- ☒ Resistance (Ohms)
- ☒ Continuity/Diode
- ☒ Capacitance (Farads)
- ☒ Frequency
- ☒ Duty cycle
- ☒ Low Z (impedance)
- ☒ Temperature (K-type input)
- ☒ NCV (LED & Audible)
- ☒ Min/Max/Hold
- ☒ Auto and Manual Ranging
- ☒ Auto power off
- ☒ Low battery warning
- ☒ Test lead storage
- ☒ High voltage alert
- ☒ Auto Calibration
- ☒ Easy access battery latches
- ☒ Backlight
- ☒ Magnet hanger options
- ☒ Over-molded grip
- ☒ CATIV 600V
- ☒ 2-year limited warranty

*Digital features DC only

Certified by ETL to IEC 61010-1, 3rd edition



EPCCOMBO

053533509281

Everyday Professional Clamp Meter w/ ATTPC4 Pipe Clamp



DL589COMBO

053533509335

True-RMS Clamp Meter w/ 2 ATTPC4 Pipe Clamps

Part #	UPC	Description
DL569	053533509281	400A Dual Display Clamp Meter
DM525	053533508192	True RMS 1000V Wireless Multimeter w/ Power Factor
DM515	053533508185	True RMS 1000V Multimeter w/Temperature
DM505	053533508178	1000V Digital Multimeter
IRT807	053533508147	1000V AC/DC Advanced Insulation Resistance Tester
IRT803	053533508130	600V AC/DC Digital Insulation Resistance Tester

EPC	DL589	DL599
UPC: 53533510027	UPC: 053533509144	UPC: 053533509137
 NEW UEI HUB		 2022 DEALER DESIGN AWARDS
STANDARD Features PLUS	STANDARD Features PLUS	DL589 Features PLUS
Wireless to App	DC current (w/ DC Zero)	Power Factor
NCV w/ adjustable sensitivity	Temperature differential	Wireless to App
New pouch design	Worklight	3-Phase motor rotation test
		Motor unbalanced test
		Low pass filter
		Auto AC/DC selection for V/A

EPC Includes

Silicone Test Leads (ATL58)
 Back Probe Leads (ABP3)
 Alligator Clips (AAC3)
 Temperature Probes K-type (ATT29)
 Zippered Pouch (AC670)
 Batteries AAA (4)
 Certificate of Conformity

DL589 & DL599 Includes

Silicone Test Leads (ATL58)
 Back Probes (APB3)
 Alligator Clips (AAC3)
 Temperature Probes 2 (ATT29)
 Zippered Pouch
 Batteries 4 (AAA)
 Certificate of Conformity

Installation & Maintenance Kits



510KIT

UPC: 053533509380

Condensing Unit Install Kit

NEW Wireless Everyday Professional Clamp Meter (EPC)
Refrigerant Leak Detector (RLD15B)
Wireless Refrigeration Analyzer (HUB8)
UEi Tool Backpack



511KIT

UPC: 053533509397

Heat Pump Install Kit

Static Pressure Manometer Kit (EM720SPKIT)
NEW Wireless Everyday Professional Clamp Meter (EPC)
Refrigerant Leak Detector (RLD15B)
Wireless Refrigeration Analyzer (HUB8)
UEi Tool Backpack



TACK15

UPC: 053533509465

Test and Check Kit

400A Dual Display Clamp Meter (DL569)
Combustible Gas Leak Detector (CD100A)
NEW Differential Manometer (EM700)
Pocket Thermometer (PDT1550)
Soft Carrying Case (AC73)



520KIT

UPC: 053533509403

Furnace Install Kit

NEW Wireless Everyday Professional Clamp Meter (EPC)
Combustible Leak Detector (CD100A)
Static Pressure Manometer Kit (EM720SPKIT)
Differential Thermometer (PDT655)
UEi Tool Backpack



521KIT

UPC: 053533509410

Gas Furnace Install Kit

Carbon Monoxide Detector (COA2)
NEW Wireless Everyday Professional Clamp Meter (EPC)
Combustible Leak Detector (CD100A)
Static Pressure Kit (EM720SPKIT)
Differential Thermometer (PDT655)
UEi Tool Backpack



522KIT

UPC: 053533509427

Oil Burner & Boiler Install Kit

Combustion Analyzer (C1610IL)
NEW Wireless Everyday Professional Clamp Meter (EPC)
Combustible Leak Detector (CD100A)
Static Pressure Kit (EM720SPKIT)
Differential Thermometer (PDT655)
UEi Tool Backpack



AC550

UPC: 053533509410

Tool Backpack

Built rugged, waterproof base, two compartments with inner pocket options. Includes D-clip.

Don't See The Kit That Works For You?

Ask About Our Custom Kits.

Pressure Meter

DPM

UPC: 053533509564

Wireless Differential Manometer

- Wireless Differential Manometer to test static, gas & draft pressures
- Measures Pressure ± 80 inWC
- Wireless Connection to Free App
- Easy to Read Backlit Display
- Magnet for Hands Free Use
- 1-Year limited warranty




SPMKIT

UPC: 053533509571

Wireless Static Pressure Kit

- 2 Wireless Manometer for testing static, gas & draft pressures
- Measures Pressure ± 80 inWC
- Includes static pressure accessory kit
- 1-Year limited warranty



EM700

UPC: 053533510010

Differential Manometer

- Easily measure pressure drops across heat exchangers, cooling coils, supply and return registers
- Large easy-to-read backlit display
- Work hands free with built-in magnetic mount
- 1-Year limited warranty



EM720

UPC: 053533509359

Hi-Res Differential Manometer

- Measures Pressure ± 80 inWC
- Temperature compensation protects accuracy from ambient temperature.
- HOLD MIN/MAX/AVG
- Capture
- Ambient temperature measurement
- 1-Year limited warranty



EM720SPKIT

UPC: 053533509458

Hi-Res Differential Manometer Static Pressure Kit

- EM720 Manometer *plus*
- Stepped T Fitting (2)
- Static Pressure Probe (2)
- Pressure Tubing w/ Brass Fitting (2)
- Step connector w/ 3.15" tubing (2)
- 60" Pressure Tube
- 3 (AA) Batteries
- 1-Year limited warranty



SPAK1

UPC: 053533606515

Static Pressure Accessory Kit

- Static Pressure Probe (2) (ASP1)
- 60" Pressure Tube
- Stepped T Fitting (2) (TF100)
- Soft Carrying Case (AC319)



Residential / Commercial Combustion Analyzers

BACKED BY



UP TO
10
YEAR
WARRANTY



◦ **These C160 series Residential/Commercial Combustion Analyzer includes as *Standard*:** ◦



- | | | |
|---|--|---|
| ☒ Eligible for UEi Service+ | ☒ Flue/Inlet Temperature | ☒ IR Printer Port |
| ☒ Up to 10 year warranty | ☒ Efficiency | ☒ Protective Boot w/ Magnet |
| ☒ 6-Line Backlit Display | ☒ Excess Air | ☒ Easy Access Water Trap |
| ☒ Measures CO | ☒ NOx Filtered CO Sensor | ☒ 8 Pre-Programmed Fuels |
| ☒ Measures CO2 | ☒ Low Flow Detection | ☒ DMM Style Selector Dial |
| ☒ Calculates O2 | ☒ Altitude Compensation | ☒ USB Charging |

See back cover for Warranty details!

Advanced Analyzer Services & Support



Service+ Guaranteed! FOR LIFE offers all the benefits of our award-winning promise to never let you down plus one additional feature for ACA owners. **FOR LIFE** means the each annual recertification extends the warranty an additional 1-year for the working life of the analyzer. Details at ueitest.com/service



UEi LOCK is an optional anti-theft feature for that can be turned on through the App **UEi HUB** to help prevent use if stolen.



Active **UEi Concierge+** service by registering your ACA, C165+, or C163 at ueitest.com for details on how to book a 15-minute call with a certified technician. It's your time to ask anything from general setup, specific testing, or utilizing **UEi Service+ Guaranteed!**

C161	C163	ACA
		
All <i>Standard</i> Features <i>PLUS</i> UEi SERVICE+ GUARANTEED! <i>Up to 10 Years!</i>	All C161 Features <i>PLUS</i> UEi SERVICE+ GUARANTEED! <i>Up to 10 Years!</i>	All C163 Features <i>PLUS</i> UEi SERVICE+ GUARANTEED! <i>FOR LIFE!</i>
Purge Pump Protection for CO Sensor	UEi CONCIERGE+	UEi LOCK
Differential Temperature	Wireless to UEi HUB	CO, CO2, and O2 Gases Measured
Heat Exchanger Test	Differential Pressure	Integrated Wireless Probe Connection
		10,000 ppm CO Sensor (H2 Compensated)
		Graphic Display
C161 053533508338 Analyzer only	C163 053533508352 Analyzer, Hard Case	ACA 053533510041 Analyzer, Hard Case
C161C 53533509250 Analyzer, Hard Case	C163KIT 053533509243 Analyzer, Printer, Hard Case	ACAKIT 053533510072 Analyzer, Printer, Hard Case
C161KIT 053533509236 Analyzer, Printer, Hard Case		ACAN 053533510089 Analyzer w/ Nitric Oxide Sensor, Hard Case
C1610IL 053533509373 Analyzer, Smoke Pump Tester, Hard Case		ACANKIT 053533510096 Analyzer w/ Nitric Oxide Sensor, Printer, Hard Case
C1610ILKIT 053533509366 Analyzer, Smoke Pump Tester, Printer, Hard Case		

HVAC/R ANALYZER

ALL IN ONE - Heating • Cooling • Air Flow

KANE460

UPC: 053533509595
HVAC/R Analyzer

- **Test Residential/Commercial Gas, Oil, and Biomass Equipment**
- **Heat Exchanger Integrity Test**
- **Appliance Sweep Test for CO Leaks**


Plus access full HVAC/R Analysis with optional wireless probes

- **Commission and test Heat Pumps, A/C and Refrigeration systems**
- **Measure building IAQ and Ventilation**
- **Monitor and Log Ambient CO**



Includes (Base configuration)

- Flue Probe (CP2)
- Rechargeable Batteries
- Charger
- Pressure Hose
- Handset pouch
- UEi Tool Backpack
- Manual



Add These Probes For Full HVAC/R Analysis

AC/Refrigeration

HUB8

See page 4



CO Monitoring

COL

See page 13



IAQ Ventilation

DTHA2

See page 15



Carbon Monoxide Solutions



UEi is a proud supporter of

**National Carbon Monoxide
Awareness Association**

UEiClip 053533510065

Everyday Personal CO Monitor


- CO range 1-300ppm
- Audible & Visual Alerts
- Alarm >20 ppm
- 2-year battery life
- Lanyard to wear around neck
- Built-in belt clip to attach to uniform or tool bag
- 1-Year limited warranty



COA 053533509540

CO Analyzer

- Test boilers, cookers, grills, and ovens for CO
- Perform 2-minute appliance sweep test
- Use **KANE LINK™** to connect up to 4 COL CO Loggers to combine ambient air tests
- Save & send results to **KANE LIVE™** app or optional printer



BACKED BY
UEi
SERVICE+

UP TO
10
YEAR WARRANTY

SAME DAY SERVICE
GUARANTEED

ups
FREE SHIPPING
ON ANNUAL SERVICE

COA2 053533508475

Carbon Monoxide Detector w/ Wireless Capabilities

- CO Detection: 1 to 999 ppm
- Resolution: 1 ppm
- iOS® and Android™ compatible
- Use alone or connect to a device
- Visual LED and Audible alert
- 1-Year limited warranty



COL 053533509557

CO Logger and Room CO Monitor

- Monitor CO in ambient air
- Combine ambient & appliance tests with **KANE LINK™** enabled analyzer
- Log CO every minute for up to 2 weeks
- See results on **KANE LIVE™** app



Combustion Testers

For specific equipment testing in place of full combustion analysis



CEA 053533509786

Combustion Efficiency Tester

- Backed by Service+ Guaranteed!
- Save fuel, reduce pollution & increase efficiency
- Measure: Flue stack temperature, and CO₂ in real time
- Calculate: O₂, Combustion Efficiency, and Excess Air



HET 053533509793

Heat Exchanger Tester

- Backed by Service+ Guaranteed!
- Heat Exchanger Integrity Test
- Furnace Safety Test
- Measure: CO & CO₂
- Calculate: O₂ & Excess air

Combustible Gas Detection



CD100A 053533503708

Combustible Gas Leak Detector

- Minimum: 50 ppm methane
- Long 18 inch gooseneck
- Tip-light in sensor cap
- Audible and visual tic rate
- 1-Year limited warranty

Digital Temperature Tester



DT720

UPC: 053533509434

Dual Input Temperature Tester

- 2 Inputs
- Differential T1-T2
- Accepts 6 thermocouples types
- 9,999 display count
- Min/Max/Avg/Hold
- 1-Year limited warranty

Digital Pocket Thermometers

Part #	550B	PDT550	PDT650	PDT655	PDT660
UPC:	053533701173	053533700930	053533701289	053533508543	053533508451
Temperature Range	-58° to 572°F	•	•	•	•
Min/Max	•	•	•	•	•
Auto power off	•	•	•	•	•
Built-in magnet	•	•	•	•	
Hold	•	•			
Ingress Protection	Water Resistant	Water Proof			
NSF listed	•	•			•
Backlight Display				•	•
Folding			•	•	•
Warranty	3-Year limited	1-Year limited	3-Year limited	1-Year limited	1-Year limited

Air Flow, Temperature, & Humidity



DAFM3B 053533507188 *Digital Anemometer w/ Humidity Tester*

- Measures: air velocity, temperature and humidity
- Calculates: wet bulb, dew point, and air volume (CFM/CMM)
- Up to 1 hour accumulative average
- 1-Year limited warranty



DAFM4 053533506877 *Digital In-Duct Mini Vane Anemometer*

- Measures: air velocity
- Calculates: air volume, dew point, wet bulb
- In-duct or grill surface measurement
- 1-Year limited warranty



DTHA2 053533508420 *Wireless Airflow/ Humidity/ Temperature Meter*

- Free App
- iOS® and Android™ compatible
- Airflow 217 to 3937 ft/sec
- Connects to **KANE LINK™** enabled analyzers
- 1-Year limited warranty



DTH35 053533506938 *Digital Pocket Psychrometer w/ Temperature/ Relative Humidity/ Enthalpy*

- Wet Bulb/Dew Point
- Backlit display
- Min/Max
- 1-Year limited warranty



Infrared Thermometers



INF165C 053533507416 *12:1 Infrared Thermometer*

- Circular laser defines target
- Max value capture
- 2 Emissivity levels, selectable: (0.70, 0.95)
- 1-Year limited warranty




INF195C 053533507423 *12:1 Infrared Thermometer w/ K-Type Input*

- Circular laser defines target
- Differential temperature
- Min/Max/Avg/Diff
- 1-Year limited warranty



8-Point Circular Laser Advantage



The circular laser directly outlines the measured spot at all distances eliminating potential errors from guessing the size of the measured spot.



UPGRADED

Connect More!


Comprehensive HVAC/R App

For UEi's Wireless Solutions!




Refrigeration

View Refrigerant values and *real-time target superheat*. Select from list of 118 refrigerants and save most used types.





Air

Measure and calculate return & supply values.





Vacuum

Vacuum screen for Evacuation and Rise Tests. Easily set Evacuation and Rise Tests values and timers.




Scales

Connect refrigerant charging scales (see pg 15)



Electrical

Connect EPC Everyday Professional Clamp meter



Air Flow

Connect DTHA2 air flow meter




CO Detection

Monitor Ambient Carbon Monoxide with COA2



Combustion

Measure & calculate essential data for combustion equipment




N2 Test

Nitrogen Pressure Leak Test, or tightness test, walks techs through this process step-by-step.




System Analysis

See a system's performance with color coded reference.



Data Export

Send report in choice of formats with options to add auto GEO location or manual addresses to reports.



Accessories

TEST LEADS

Part #	UPC	Description
AAC	053533600759	Alligator Clips, Slip-On
AAC3	053533603866	Alligator Clips, Screw-On
ATLTX	053533606478	Modular Test Lead Extension Wire*
ATL1	053533606416	Modular Lead Tips- Standard*
ATL2	053533606423	Modular Lead Tips- Alligator*
ATL3	053533606430	Modular Lead Tips- Grabber Tip*
ATL5	053533606454	Modular Lead Tips- Back Probe*
ATL6	053533606461	Modular Lead Tips- Piercing*
ATL55	053533602043	Test Leads (Standard)
ATL57	053533606621	Silicone Test Leads
ATL301KIT	053533605716	Test Lead Kit
ATLBPK	053533606492	Back Probe Test Lead Kit
ABP3	053533606973	Back Probe Test Leads for DL589 & DL599
ATL58	053533606966	Silicone test leads for DL589 & DL599
ATL92	053533607031	Insulation Test Probe & Alligator Clip
ATLCAP	053533507553	Test Lead Shield Caps

CLIPS & ADAPTERS

ACF1	053533600766	Female Adapter Cord (HA1)
ACS1	053533600780	Velcro Pipe Straps
ASP1	053533606133	Magnetic Static Pressure Probe
ATHA1	053533600964	Gas Valve Thermocouple Adapter
TF100	053533606775	Stepped "T" Fitting
AACA4	053533605303	AC 9V 700mA Adapter for C100A/ C50/ C75/ CO91
AACA5	053533607000	USB Charger For C160 Series Analyzers
AJW1	053533606850	Jump wires (10 pack)
AMH1	053533606843	Magnetic Hanger Strap (DM505, DM151, and DM525)
AMH2	053533606980	Magnetic Hanger Strap for DL569 and DL579 only
AMH3	053533606997	Replacement Magnetic Hanger Strap (DL589 & DL599)

PRESSURE

AORK1	053533508390	WPP1 O Ring Kit
AVGA	053533607109	Gas Valve Adapter with Tubing
BF100	053533603811	Gas Valve Pressure Adapter (EM201B)
BF102	053533602166	Gas Valve Pressure Adapter (EM152)
SPAK1	053533606515	Static Pressure Accessory Kit

COMBUSTION

IRP-2	053533606911	Easy Load Fast IR Printer
CP2	053533508918	Flue Gas Probe for C160 Series Combustion Analyzers
SPT1	053533605198	Smoke Pump Test Kit

TEMPERATURE PROBES

Part #	UPC	Description
ATT6	053533601558	J-Type standard 4' oven clip probe
ATT19	053533603699	J-Type oven clip probe
ATT26	053533601237	J-Type liquid probe
ATT27	053533601244	J-Type bead probe
ATT29	053533601268	K-Type fiberglass coated probe
ATT29A	053533602227	K-Type fluoroplastic coated probe
ATT29APACK	053533606393	K-Type fluoroplastic coated probe (10 pack)
ATT30	053533601299	J-Type 8" Liquid probe
ATT36	053533601329	K-Type Surface Temperature Probe
ATT39	053533605969	K-Type probe w/ wire wrap handle (DT302 & DT304)
ATT70	053533603347	K-Type to input jack adapter
ATT71	053533602159	K-Type to input jack temperature probe
ATT100	053533602357	K-Type 6" liquid probe
ATTEXT	053533606126	K-Type 10' extension
ATTPC3	053533606942	K-Type pipe clamp adapter
ATTPC4	053533508406	K-Type pipe clamp adapter

LEAK

RLD15SENS	053533606119	Replacement Sensor (RLD15)
RLDLS	053533606096	Leak Test Vial (RLD15)
RLDSENS	053533603729	Replacement Sensor (RLD10)
RS1000	053533603354	Replacement Sensor (CD100A/CD200)
RS1010	053533603378	Sensor Caps (CD100A (2 Versions) & CD200)
RLDTF	053533606102	Tip Filter (5 Pack) (RLD15)

CARRYING CASES

AC12	053533606522	Test lead kit pouch
AC73	053533605273	Soft carrying case (12"x 15"x 3.5")
AC319	053533603958	Soft carrying case (10"x 6"x 2.75")
AC419	053533508765	Wireless Refrigerant Scale Carrying Case
AC504	053533602814	Hard carrying case (10"x 13.75"x 3.5")
AC509	053533605723	C series red carrying case (19"x 14"x 4.75")
AC519	053533603965	Soft carrying case (13"x 6"x 2.75")
AC550	053533607024	UEi Tool Backpack
AC570	053533607147	Soft carrying case w/ zippered accessory compartment
AC619	053533606881	HUB8 Carrying Case w/ Foam Inserts

UEi SERVICE+ GUARANTEED!

An Award-Winning Promise To Never Let You Down

BACKED BY



UP TO
10
YEAR
WARRANTY



FREE
SHIPPING
ON ANNUAL SERVICE

Warranty: All UEi combustion analyzers have a standard 1-year warranty. Each annual recertification extends the warranty for 1 more year. For up to **10 YEARS** from the date of purchase on C160-Series analyzers or **FOR LIFE** on ACA analyzers.

*Contractors who book recertification of an eligible analyzer at **www.ueitest.com/service** within 12 months from either the date of purchase or the date of the last recertification will receive reduced service pricing¹, that lowers the cost of ownership and receive two additional benefits:*

Same Day Service: All qualifying analyzers received for recertification through UEi Service+ are returned on the same business day, **GUARANTEED**.²

Free Shipping: UEi Service+ offers free shipping both to and from our service center. When customers book their recertification, they receive a prepaid UPS Ground shipping label.

Complete Details at UEITEST.COM/SERVICE



UEi SERVICE+ GUARANTEED! won GOLD in the Dealer Design Awards "Service & Software" category. This award recognizes product design that assists contractors with the installation, maintenance, and service of HVACR Products and is the only industry award judged exclusively by HVACR contractors.

Available to US customers only. ¹Pricing subject to change without notice and discounted over standard recertification pricing.

²Analyzers with an installed NO (Nitric Oxide) sensor requires a 48-hour turnaround.

©2025 Kane USA Inc. All Rights Reserved. UPS logo Copyright ©2025 United Parcel Service of America, Inc. used with permission. KANE and the KANE logo (registered in the UK and elsewhere) are trademarks of Kane Group Limited, used under license. iOS® and Android™ are property of their respective owners.
L701 10/25