



**NEW**

**FOR 2026 ONLY  
COMMEMORATIVE EDITION  
CLAMP METERS**

*See page 4 & 5*



*Trade Clamp Meter*



*Everyday Professional  
Clamp Meter*



*High Accuracy  
Clamp Meter*

# About Us



*We are a second-generation  
family operated business*




*Most of our products are made in our  
UK & Korean ISO9001 Certified Factories  
Shipped and serviced from our  
Indianapolis ISO 17025 Certified Service Center*



*We work hard to deliver our  
award-winning customer service.  
Our promise to never let you down!*

# Celebrating America In 2026!



This year, our nation celebrates its 250th anniversary; This is a good moment to pause - to celebrate history and recognize the people who quietly made it possible.

Every time a furnace fails during a winter storm, or an HVAC system goes down during extreme heat, there's a technician answering the call. It doesn't matter if it's a weekend, a holiday, or the middle of the night. They show up because someone needs them to. Comfort, safety, and peace of mind depend on it. These professionals are often unsung heroes.

UEi is launching a new line of 250th anniversary commemorative edition Clamp Meters. One part of a year-long program of honoring this moment in our nation's history and the professionals who enable all of us to thrive.

# UEi Award-Winning HVAC/R Clamp Meters Have These Standard Features

- Dual display
- AC /DC Volts
- AC current (amps)
- DC microamps
- Resistance (Ohms)
- Continuity/Diode

- Capacitance (Farads)
- Temperature (K-type input)
- Hold
- Min/Max
- Auto and Manual Ranging
- Auto power off

- Low battery warning
- Test lead storage
- High voltage alert
- Auto Calibration
- Easy access battery latches
- CATIV 600V / CATIII 1000V

## PLUS

DESIGNED BY  
MADE BY  
BACKED BY  
**UEi**



Standard Features <b>PLUS</b>	<b>DL599</b>	<b>EPC</b>	<b>TCM</b>
UPC	053533509137	053533510027	053533510133
Type	Advanced Power Meter	Everyday Professional	Trade / Apprentice Meter
Commemorative Edition Available		★	★
Voltage AC/DC	1000 AC / 1000 DC	750 AC / 1000 DC	750 AC / 1000 DC
Amperage	600 AC / 600 DC	400 AC	400 AC
True RMS	★	★	
Frequency (Hertz) / Duty cycle	★	★	
LRA inrush	★	★	
Magnetic mount/strap	★	★	
Wireless to <b>UEi HUB</b> app	★	★	
NCV (LED & Audible)	★	★	
Backlight	★	★	
Low Z (impedance)	★	★	
Worklight	★		
POWER (W, VA, VAR)	★		
Power Factor	★		
Temperature differential	★		
DC Zero	★		
Auto AC/DC selection for V/A	★		
3-Phase motor rotation test	★		
Motor unbalanced test	★		
Low pass filter	★		
Warranty	2 YEAR	2 YEAR	1 YEAR

# New Low Range/High Accuracy Meter

## HAC

UPC: 053533510041

### High Accuracy Clamp Meter

All UEi clamp meters offer Professional standard HVAC/R industry accuracy. The High Accuracy Clamp Meter is specifically designed for jobs where a low amp range and amp high accuracy are needed!

- Variable Refrigerant Flow (VRF) systems
- Variable Frequency Drives (VFD)
- Inducer Motors for Gas Furnaces
- Mini-splits
- HVAC control boards or components



### Designed For HVAC/R Technicians

- High accuracy for AC Amps ( $\pm 1.5\% +8\text{dgs}$ )
- Power Factor to determine how efficiently equipment is using power
- Wireless to free app **UEi HUB** for remote measurements



Standard Features <b>PLUS</b>	<b>HAC</b>
UPC	053533510034
Type	Specialty High Accuracy
Voltage AC/DC	750 AC/ 1000 DC
Amperage	200 AC
True RMS	★
Frequency (Hertz) / Duty cycle	★
LRA inrush	★
Magnetic mount/strap	★
Wireless to <b>UEi HUB</b> app	★
NCV (LED & Audible)	★
Backlight	★
Low Z (impedance)	★
Worklight	★
POWER (W, VA, VAR)	★
Power Factor	★
Warranty	2 YEAR

### Includes

- Silicone Test Leads (ATL70)
- Back Probe Leads (ABP3)
- Alligator Clips (AAC3)
- Temperature Probes K-type (ATT29)
- Zippered Pouch (AC570)
- Batteries AAA (4)
- Certificate of Conformity

### Commemorative Edition!

Celebrating USA's 250th Anniversary with a black edition meter and USA 250th icon on meter and stitched on carrying pouch. Available only 2026!

# View All Indoor and Outdoor AC/R System Parameters from One Location

Wireless Vacuum Gauge Probe

Target Superheat Calculation

Pressure Probes w/ 180° Articulation

Refrigerant Pass Through Port

Wireless Pipe Clamps



**HUB8** 053533508598

Smart Refrigeration Probes Deluxe Kit w/ Vacuum Gauge

**HUB6** 053533508246

Smart Refrigerant Complete Kit

- In App temperature split and psychrometric calculations
- In App system refrigerant charging calculations
- Pass thru refrigerant ports for easily adding or recovering refrigerant from the system
- 180 degree rotation for easy use in cramped spaces
- 1-Year limited warranty



**WVG2** 053533508604

Wireless Vacuum Gauge Probe

- Vacuum Range: 2000 microns
- 700 PSI Maximum Over Range
- Temperature Range: 10 to 122 °F
- Easy to use vacuum gauge probe
- Can work with independently or with other HUB probes
- 1-Year limited warranty



**HUB4** 053533508239

Smart Refrigerant Charging Kit

- In App system refrigerant charging calculations
- Pass through refrigerant ports for easily adding or recovering refrigerant from the system
- 180 degrees rotation for easy use in cramped spaces
- Pressure range: 0 to 725 psig
- 1-Year limited warranty



**WOT2** 053533508611

Wireless Outside Temperature Probe

- Temperature Range: 32° to 180°F
- Works in two positions
- Real time target superheat calculation (With WHP1)
- Calculate Real Time Target Superheat (requires WHP1 & HUB App)
- 1-Year limited warranty



# A2L, What You Need To Know

Specific tools that can be certified to service A2L equipment are recovery machines, vacuum pumps, and leak detectors.



The UEi **RLD15B** Refrigerant Leak Detector is "A2L Certified" to the SAE 2913 standard, which includes "Component Ignition Testing".



UEi's other Refrigeration products outside that product category are designed to work with equipment using A2L refrigerants and categorized as "A2L Compatible".



## RLD15B

UPC: 053533507430

**Refrigerant Leak Detector  
w/ Solid Electrolyte Sensor**

- A2L certified (SAE J2913)
- 3 Sensitivity levels
- Digital numeric leak size indicator
- 2-Year limited warranty

## Wireless Refrigeration Scales

**3 Wireless Charging Scales have these Standard features!**

- Measurements can be made on uneven ground
- Load can be weighed accurately even if off centered
- Requires compatible mobile device and free iOS® or Android™ App
- Wireless range up to 100 ft (30m)
- Water resistance and dust proof
- 1-Year limited warranty



**Works with UEi HUB App**

WRS110	WRS220	WRSX
UPC: 053533507584	UPC: 053533507577	UPC: 053533581195
<b>STANDARD Features PLUS</b>	<b>WRS110 Features PLUS</b>	<b>WRS220 Features PLUS</b>
<b>UPGRADED</b>	<b>UPGRADED</b>	<b>330lb Load Capacity</b>
Digital Backlit Display	220lb Load Capacity	0.25 oz Resolution
110lb Load Capacity	0.2 oz Resolution	
0.1 oz Resolution		

Part #	UPC	Description
DMG150	053533507720	Vacuum Micron Gauge
HA1	053533500752	Hermetic Compressor Analyzer
CLM100	053533503289	Cable Length Meter

## Other UEi Professional Meters

Part #	UPC	Description
<b>EPCCOMBO</b>	053533510102	Everyday Professional Clamp Meter w/ Pipe Clamp
<b>DM525</b>	053533508192	True RMS 1000V Wireless Multimeter w/ Power Factor
<b>DM515</b>	053533508185	True RMS 1000V Multimeter w/ Temperature
<b>DM505</b>	053533508178	1000V Digital Multimeter
<b>IRT807</b>	053533508147	1000V AC/DC Advanced Insulation Resistance Tester
<b>IRT803</b>	053533508130	600V AC/DC Digital Insulation Resistance Tester

## Installation & Maintenance Kits



### 510KIT

UPC: 053533509380

#### Condensing Unit Install Kit

**NEW** Wireless Everyday

Professional Clamp Meter (EPC)

Refrigerant Leak Detector (RLD15B)

Wireless Refrigeration Analyzer (HUB8)

UEi Tool Backpack



### 511KIT

UPC: 053533509397

#### Heat Pump Install Kit

Static Pressure Manometer Kit (EM720SPKIT)

**NEW** Wireless Everyday

Professional Clamp Meter (EPC)

Refrigerant Leak Detector (RLD15B)

Wireless Refrigerant Analyzer (HUB8)

UEi Tool Backpack



### TACK15

UPC: 053533509465

#### Test and Check Kit

400A Dual Display Clamp Meter (DL569)

Combustible Gas Leak Detector (CD100A)

**NEW** Differential Manometer (EM700)

Pocket Thermometer (PDT550)

Soft Carrying Case (AC73)



### 520KIT

UPC: 053533509403

#### Furnace Install Kit

**NEW** Wireless Everyday

Professional Clamp Meter (EPC)

Combustible Leak Detector (CD100A)

Static Pressure Manometer Kit (EM720SPKIT)

Differential Thermometer (PDT655)

UEi Tool Backpack



### 521KIT

UPC: 053533509410

#### Gas Furnace Install Kit

Carbon Monoxide Detector (COA2)

**NEW** Wireless Everyday Professional

Clamp Meter (EPC)

Combustible Leak Detector (CD100A)

Static Pressure Kit (EM720SPKIT)

Differential Thermometer (PDT655)

UEi Tool Backpack



### 522KIT

UPC: 053533509427

#### Oil Burner & Boiler Install Kit

Combustion Analyzer (C1610IL)

**NEW** Wireless Everyday

Professional Clamp Meter (EPC)

Combustible Leak Detector (CD100A)

Static Pressure Kit (EM720SPKIT)

Differential Thermometer (PDT655)

UEi Tool Backpack

**Ask About Our Custom Kits.**

# Pressure Meter

## DPM

UPC: 053533509564

### Wireless Differential

#### Manometer

- Wireless Differential Manometer to test static, gas & draft pressures
- Measures Pressure  $\pm 80$  inWC
- Wireless Connection to Free App
- Easy to Read Backlit Display
- Magnet for Hands Free Use
- 1-Year limited warranty



## EM700

UPC: 053533510010

### Differential Manometer

- Easily measure pressure drops across heat exchangers, cooling coils, supply and return registers
- Large easy-to-read backlit display
- Work hands free with built-in magnetic mount
- 1-Year limited warranty



## SPMKIT

UPC: 053533509571

### Wireless Static

#### Pressure Kit

- 2 Wireless Manometer for testing static, gas & draft pressures
- Measures Pressure  $\pm 80$  inWC
- Includes static pressure accessory kit
- 1-Year limited warranty



## EM720

UPC: 053533509359

### Hi-Res Differential Manometer

- Measures Pressure  $\pm 80$  inWC
- Temperature compensation protects accuracy from ambient temperature.
- HOLD MIN/MAX/AVG
- Capture
- Ambient temperature measurement
- 1-Year limited warranty



## EM720SPKIT

UPC: 053533509458

### Hi-Res Differential Manometer

#### Static Pressure Kit

- EM720 Manometer plus
- Stepped T Fitting (2)
- Static Pressure Probe (2)
- Pressure Tubing w/ Brass Fitting (2)
- Step connector w/ 3.15" tubing (2)
- 60" Pressure Tube
- 3 (AA) Batteries
- 1-Year limited warranty



## SPAK1

UPC: 053533606515

### Static Pressure

#### Accessory Kit

- Static Pressure Probe (2) (ASP1)
- 60" Pressure Tube
- Stepped T Fitting (2) (TF100)
- Soft Carrying Case (AC319)

# Residential / Commercial Combustion Analyzers

BACKED BY



UP TO  
10  
YEAR  
WARRANTY



- These C160 series Residential/Commercial Combustion Analyzer includes as Standard:



- Eligible for UEi Service+
- Up to 10 year warranty
- 6-Line Backlit Display
- Measures CO
- Measures CO2
- Calculates O2

- Flue/Inlet Temperature
- Efficiency
- Excess Air
- NOx Filtered CO Sensor
- Low Flow Detection
- Altitude Compensation

- IR Printer Port
- Protective Boot w/ Magnet
- Easy Access Water Trap
- 8 Pre-Programmed Fuels
- DMM Style Selector Dial
- USB Charging

See back cover for Warranty details!

## Advanced Analyzer Services & Support



**Service+ Guaranteed! FOR LIFE** offers all the benefits of our award-winning promise to never let you down plus one additional feature for ACA owners. **FOR LIFE** means the each annual recertification extends the warranty an additional 1-year for the working life of the analyzer. Details at [ueitest.com/service](http://ueitest.com/service)



**UEi LOCK** is an optional anti-theft feature for that can be turned on through the App **UEi HUB** to help prevent use if stolen.



Active **UEi Concierge+** service by registering your ACA, C165+, or C163 at [ueitest.com](http://ueitest.com) for details on how to book a 15-minute call with a certified technician. It's your time to ask anything from general setup, specific testing, or utilizing **UEi Service+ Guaranteed!**

C161	C163	ACA
		
○ <b>All Standard Features PLUS</b>	◀ <b>All C161 Features PLUS</b> ▼	◀ <b>All C163 Features PLUS</b> ▼
<b>UEI</b> SERVICE + GUARANTEED! <i>Up to 10 Years!</i>	<b>UEI</b> SERVICE + GUARANTEED! <i>Up to 10 Years!</i>	<b>UEI</b> SERVICE + GUARANTEED! <b>FOR LIFE!</b>
Purge Pump Protection for CO Sensor	<b>UEI CONCIERGE +</b>	<b>UEI LOCK</b>
Differential Temperature	Wireless to 	CO, CO <sub>2</sub> , and O <sub>2</sub> Gases Measured
Heat Exchanger Test	Differential Pressure	Integrated Wireless Probe Connection
		10,000 ppm CO Sensor (H <sub>2</sub> Compensated)
		Graphic Display
<b>C161</b> 053533508338 Analyzer only	<b>C163</b> 053533508352 Analyzer, Hard Case	<b>ACA</b> 053533510041 Analyzer, Hard Case
<b>C161C</b> 53533509250 Analyzer, Hard Case	<b>C163KIT</b> 053533509243 Analyzer, Printer, Hard Case	<b>ACAKIT</b> 053533510072 Analyzer, Printer, Hard Case
<b>C161KIT</b> 053533509236 Analyzer, Printer, Hard Case		<b>ACAN</b> 053533510089 Analyzer w/ Nitric Oxide Sensor, Hard Case
<b>C161OIL</b> 053533509373 Analyzer, Smoke Pump Tester, Hard Case		<b>ACANKIT</b> 053533510096 Analyzer w/ Nitric Oxide Sensor, Printer, Hard Case
<b>C161OILKIT</b> 053533509366 Analyzer, Smoke Pump Tester, Printer, Hard Case		

# HVAC/R ANALYZER

## ALL IN ONE - Heating • Cooling • Air Flow

### KANE460

UPC: 053533509595

HVAC/R Analyzer

- **Test Residential/Commercial Gas, Oil, and Biomass Equipment**
- **Heat Exchanger Integrity Test**
- **Appliance Sweep Test for CO Leaks**
- Plus access full HVAC/R Analysis with optional wireless probes**
- **Commission and test Heat Pumps, A/C and Refrigeration systems**
- **Measure building IAQ and Ventilation**
- **Monitor and Log Ambient CO**



### Includes (Base configuration)

- Flue Probe (CP2)
- Rechargeable Batteries
- Charger
- Pressure Hose
- Handset pouch
- UEi Tool Backpack
- Manual



### Add These Probes For Full HVAC/R Analysis

AC/Refrigeration

**HUB8**

See page 4



CO Monitoring

**COL**

See page 13



IAQ Ventilation

**DTHA2**

See page 15



# Carbon Monoxide Solutions



UEi is a proud supporter of


National Carbon Monoxide  
Awareness Association

**UEiCLIP** 053533510065

## Everyday Personal CO Monitor

- CO range 1-300ppm
- Audible & Visual Alerts
- Alarm >20 ppm
- 2-year battery life
- Lanyard to wear around neck
- Built-in belt clip to attach to uniform or tool bag
- 1-Year limited warranty

NEW



**COA** 053533509540

## CO Analyzer

- Test boilers, cookers, grills, and ovens for CO
- Perform 2-minute appliance sweep test
- Use **KANE LINK™** to connect up to 4 COL CO Loggers to combine ambient air tests
- Save & send results to **KANE LIVE™** app or optional printer



**COA2** 053533508475

## Carbon Monoxide Detector w/ Wireless Capabilities

- CO Detection: 1 to 999 ppm
- Resolution: 1 ppm
- iOS® and Android™ compatible
- Use alone or connect to a device
- Visual LED and Audible alert
- 1-Year limited warranty



**COL** 053533509557  
**CO Logger and Room CO  
Monitor**

- Monitor CO in ambient air
- Combine ambient & appliance tests with **KANE LINK™** enabled analyzer
- Log CO every minute for up to 2 weeks
- See results on **KANE LIVE™** app



# Combustion Testers

For specific equipment testing in place of full combustion analysis



**CEA** 053533509786

**Combustion Efficiency Tester**

- Backed by Service+ Guaranteed!
- Save fuel, reduce pollution & increase efficiency
- Measure: Flue stack temperature, and CO2 in real time
- Calculate: O2, Combustion Efficiency, and Excess Air



**HET** 053533509793

**Heat Exchanger Tester**

- Backed by Service+ Guaranteed!
- Heat Exchanger Integrity Test
- Furnace Safety Test
- Measure: CO & CO2
- Calculate: O2 & Excess air

## Combustible Gas Detection



**CD100A** 053533503708

**Combustible Gas Leak Detector**

- Minimum: 50 ppm methane
- Long 18 inch gooseneck
- Tip-light in sensor cap
- Audible and visual tic rate
- 1-Year limited warranty

## Digital Temperature Tester



**DT720**

UPC: 053533509434

**Dual Input Temperature Tester**

- 2 Inputs
- Differential T1-T2
- Accepts 6 thermocouples types
- 9,999 display count
- Min/Max/Avg/Hold
- 1-Year limited warranty

## Digital Pocket Thermometers

Part #	550B	PDT550	PDT650	PDT655	PDT660
UPC:	053533701173	053533700930	053533701289	053533508543	053533508451
Temperature Range -58° to 572°F	•	•	•	•	•
Min/Max	•	•	•	•	•
Auto power off	•	•	•	•	•
Built-in magnet	•	•	•	•	
Hold	•	•			
Ingress Protection	Water Resistant	Water Proof			
NSF listed	•	•			•
Backlight Display				•	•
Folding			•	•	•
Warranty	3-Year limited	1-Year limited	3-Year limited	1-Year limited	1-Year limited

# Air Flow, Temperature, & Humidity



**DAFM3B** 053533507188  
*Digital Anemometer w/  
Humidity Tester*

- Measures: air velocity, temperature and humidity
- Calculates: wet bulb, dew point, and air volume (CFM/CMM)
- Up to 1 hour accumulative average
- 1-Year limited warranty



**DAFM4** 053533506877  
*Digital In-Duct Mini Vane  
Anemometer*

- Measures: air velocity
- Calculates: air volume, dew point, wet bulb
- In-duct or grill surface measurement
- 1-Year limited warranty



**DTHA2** 053533508420  
*Wireless Airflow/ Humidity/  
Temperature Meter*

- Free App
- iOS® and Android™ compatible
- Airflow 217 to 3937 ft/sec
- Connects to **KANE LINK™** enabled analyzers
- 1-Year limited warranty



**DTH35** 053533506938  
*Digital Pocket Psychrometer w/  
Temperature/ Relative Humidity/  
Enthalpy*

- Wet Bulb/Dew Point
- Backlit display
- Min/Max
- 1-Year limited warranty



## Infrared Thermometers



**INF165C** 053533507416  
*12:1 Infrared Thermometer*

- Circular laser defines target
- Max value capture
- 2 Emissivity levels, selectable: (0.70, 0.95)
- 1-Year limited warranty



**INF195C** 053533507423  
*12:1 Infrared Thermometer w/  
K-Type Input*

- Circular laser defines target
- Differential temperature
- Min/Max/Avg/Diff
- 1-Year limited warranty



### 8-Point Circular Laser Advantage

The circular laser directly outlines the measured spot at all distances eliminating potential errors from guessing the size of the measured spot.

# Connect More!

**Comprehensive HVAC/R App  
For UEI's Wireless Solutions!**



**UPGRADED**



## Refrigeration

View Refrigerant values and *real-time target superheat*. Select from list of 118 refrigerants and save most used types.




## Air

Measure and calculate return & supply values.




## Vacuum

Vacuum screen for Evacuation and Rise Tests. Easily set Evacuation and Rise Tests values and timers.



## Scales

Connect refrigerant charging scales (see pg 15)




## Electrical

Connect EPC and HAC Clamp meters



## Air Flow

Connect DTHA2 air flow meter



## CO Detection

Monitor Ambient Carbon Monoxide with COA2



## Combustion

Measure & calculate essential data for combustion equipment



## N2 Test

Nitrogen Pressure Leak Test, or tightness test, walks techs through this process step-by-step.



## System Analysis

See a system's performance with color coded reference.



## Data Export

Send report in choice of formats with options to add auto GEO location or manual addresses to reports.



# Accessories

## TEST LEADS

Part #	UPC	Description
<b>AAC</b>	053533600759	Alligator Clips, Slip-On
<b>AAC3</b>	053533603866	Alligator Clips, Screw-On
<b>ATLTX</b>	053533606478	Modular Test Lead Extension Wire*
<b>ATL1</b>	053533606416	Modular Lead Tips- Standard*
<b>ATL2</b>	053533606423	Modular Lead Tips- Alligator*
<b>ATL3</b>	053533606430	Modular Lead Tips- Grabber Tip*
<b>ATL5</b>	053533606454	Modular Lead Tips- Back Probe*
<b>ATL6</b>	053533606461	Modular Lead Tips- Piercing*
<b>ATL55</b>	053533602043	Test Leads (Standard)
<b>ATL57</b>	053533606621	Silicone Test Leads
<b>ATL301KIT</b>	053533605716	Test Lead Kit
<b>ATLBPK</b>	053533606492	Back Probe Test Lead Kit
<b>ABP3</b>	053533606973	Back Probe Test Leads for DL589 & DL599
<b>ATL58</b>	053533606966	Silicone test leads for DL589 & DL599
<b>ATL92</b>	053533607031	Insulation Test Probe & Alligator Clip
<b>ATLCAP</b>	053533507553	Test Lead Shield Caps

## CLIPS & ADAPTERS

<b>ACF1</b>	053533600766	Female Adapter Cord (HA1)
<b>ACS1</b>	053533600780	Velcro Pipe Straps
<b>ASP1</b>	053533606133	Magnetic Static Pressure Probe
<b>ATHA1</b>	053533600964	Gas Valve Thermocouple Adapter
<b>TF100</b>	053533606775	Stepped "T" Fitting
<b>AACA4</b>	053533605303	AC 9V 700mA Adapter for C100A/ C50/ C75/ CO91
<b>AACA5</b>	053533607000	USB Charger For C160 Series Analyzers
<b>AJW1</b>	053533606850	Jump wires (10 pack)
<b>AMH1</b>	053533606843	Magnetic Hanger Strap (DM505, DM151, and DM525)
<b>AMH2</b>	053533606980	Magnetic Hanger Strap for DL569 and DL579 only
<b>AMH3</b>	053533606997	Replacement Magnetic Hanger Strap (DL589 & DL599 )

## PRESSURE

<b>AORK1</b>	053533508390	WPP1 O Ring Kit
<b>AVGA</b>	053533607109	Gas Valve Adapter with Tubing
<b>BF100</b>	053533603811	Gas Valve Pressure Adapter (EM201B)
<b>BF102</b>	053533602166	Gas Valve Pressure Adapter (EM152)
<b>SPAK1</b>	053533606515	Static Pressure Accessory Kit

## COMBUSTION

<b>IRP-2</b>	053533606911	Easy Load Fast IR Printer
<b>CP2</b>	053533508918	Flue Gas Probe for C160 Series Combustion Analyzers
<b>SPT1</b>	053533605198	Smoke Pump Test Kit

## TEMPERATURE PROBES

Part #	UPC	Description
ATT6	053533601558	J-Type standard 4' oven clip probe
ATT19	053533603699	J-Type oven clip probe
ATT26	053533601237	J-Type liquid probe
ATT27	053533601244	J-Type bead probe
ATT29	053533601268	K-Type fiberglass coated probe
ATT29A	053533602227	K-Type fluoroplastic coated probe
ATT29APACK	053533606393	K-Type fluoroplastic coated probe (10 pack)
ATT30	053533601299	J-Type 8" Liquid probe
ATT36	053533601329	K-Type Surface Temperature Probe
ATT39	053533605969	K-Type probe w/ wire wrap handle (DT302 & DT304)
ATT70	053533603347	K-Type to input jack adapter
ATT71	053533602159	K-Type to input jack temperature probe
ATT100	053533602357	K-Type 6" liquid probe
ATTEXT	053533606126	K-Type 10' extension
ATTPC3	053533606942	K-Type pipe clamp adapter
ATTPC4	053533508406	K-Type pipe clamp adapter

## LEAK

RLD15SENS	053533606119	Replacement Sensor (RLD15)
RLDLS	053533606096	Leak Test Vial (RLD15)
RLDSENS	053533603729	Replacement Sensor (RLD10)
RS1000	053533603354	Replacement Sensor (CD100A/CD200)
RS1010	053533603378	Sensor Caps (CD100A (2 Versions) & CD200)
RLDTF	053533606102	Tip Filter (5 Pack) (RLD15)

## CARRYING CASES

AC12	053533606522	Test lead kit pouch
AC73	053533605273	Soft carrying case (12"x 15"x 3.5")
AC319	053533603958	Soft carrying case (10"x 6"x 2.75")
AC419	053533508765	Wireless Refrigerant Scale Carrying Case
AC504	053533602814	Hard carrying case (10"x 13.75"x 3.5")
AC509	053533605723	C series red carrying case (19"x 14"x 4.75")
AC519	053533603965	Soft carrying case (13"x 6"x 2.75")
AC550	053533607024	UEi Tool Backpack
AC570	053533607147	Soft carrying case w/ zippered accessory compartment
AC619	053533606881	HUB8 Carrying Case w/ Foam Inserts



## An Award-Winning Promise To Never Let You Down

BACKED BY



UP TO  
**10**  
YEAR  
WARRANTY



**Warranty:** All UEi combustion analyzers have a standard 1-year warranty. Each annual recertification extends the warranty for 1 more year. For up to **10 YEARS** from the date of purchase on C160-Series analyzers or **FOR LIFE** on ACA analyzers.

*Contractors who book recertification of an eligible analyzer at [www.ueitest.com/service](http://www.ueitest.com/service) within 12 months from either the date of purchase or the date of the last recertification will receive reduced service pricing<sup>1</sup>, that lowers the cost of ownership and receive two additional benefits:*

**Same Day Service:** All qualifying analyzers received for recertification through UEi Service+ are returned on the same business day, **GUARANTEED**.<sup>2</sup>

**Free Shipping:** UEi Service+ offers free shipping both to and from our service center. When customers book their recertification, they receive a prepaid UPS Ground shipping label.

**Complete Details at [UEiTTEST.COM/SERVICE](http://UEiTTEST.COM/SERVICE)**



**UEi SERVICE+ GUARANTEED!** won GOLD in the Dealer Design Awards "Service & Software" category. This award recognizes product design that assists contractors with the installation, maintenance, and service of HVACR Products and is the only industry award judged exclusively by HVACR contractors.

Available to US customers only. <sup>1</sup>Pricing subject to change without notice and discounted over standard recertification pricing.

<sup>2</sup>Analyzers with an installed NO (Nitric Oxide) sensor requires a 48-hour turnaround.