



FOR 2026 ONLY
COMMEMORATIVE EDITION
CLAMP METERS
See pages 4 & 5



KEEPING HOMES & WORKPLACES SAFE & COMFORTABLE

About Us



*We are a second-generation
family operated business*



*Most of our products are made in our
UK & Korean ISO9001 Certified Factories
Shipped and serviced from our
Indianapolis ISO 17025 Certified Service Center*



*We work hard to deliver our
award-winning customer service.
Our promise to never let you down!*

Celebrating America In 2026!



This year, our nation celebrates its 250th anniversary; this is a good moment to pause - to celebrate history and recognize the people who quietly made it possible.

Every time a furnace fails during a winter storm, or an HVAC system goes down during extreme heat, there's a technician answering the call. It doesn't matter if it's a weekend, a holiday, or the middle of the night. They show up because someone needs them to. Comfort, safety, and peace of mind depend on it. These professionals are often unsung heroes.

UEi is launching a new line of 250th anniversary commemorative edition clamp meters. One part of a year-long program of honoring this moment in our nation's history and the professionals who enable all of us to thrive.



UEi Award-Winning HVAC/R Clamp Meters Have These Standard Features

- Dual display
 - AC/DC Volts
 - AC current (amps)
 - DC microamps
 - Resistance (Ohms)
 - Continuity/Diode
- Capacitance (Farads)
 - Temperature (K-type input)
 - Hold
 - Min/Max
 - Auto and Manual Ranging
 - Auto power off
- Low battery warning
 - Test lead storage
 - High voltage alert
 - Auto Calibration
 - Easy access battery latches
 - CATIV 600V / CATIII 1000V

PLUS



Standard Features PLUS	DL599	EPC	TCM
UPC	053533509137	053533510027	053533510133
Type	Advanced Power Meter	Everyday Professional	Trade / Apprentice Meter
Commemorative Edition Available		★	★
Voltage AC/DC	1000 AC / 1000 DC	750 AC / 1000 DC	750 AC / 1000 DC
Amperage	600 AC / 600 DC	400 AC	400 AC
True RMS	★	★	
Frequency (Hertz) / Duty cycle	★	★	
LRA inrush	★	★	
Magnetic mount/strap	★	★	
Wireless to UEi HUB app	★	★	
NCV (LED & Audible)	★	★	
Backlight	★	★	
Low Z (impedance)	★	★	
Worklight	★		
POWER (W, VA, VAR)	★		
Power Factor	★		
Temperature differential	★		
DC Zero	★		
Auto AC/DC selection for V/A	★		
3-Phase motor rotation test	★		
Motor unbalanced test	★		
Low pass filter	★		
Warranty	2 YEAR	2 YEAR	1 YEAR

New Low Range/High Accuracy Meter

HAC

UPC: 053533510034

High Accuracy Clamp Meter

All UEi clamp meters offer Professional standard HVAC/R industry accuracy. The High Accuracy Clamp Meter is specifically designed for jobs where a low amp range and high amp accuracy are needed!

- Variable Refrigerant Flow (VRF) systems
- Variable Frequency Drives (VFD)
- Inducer Motors for Gas Furnaces
- Mini-splits
- HVAC control boards or components

Designed For HVAC/R Technicians

- High accuracy for AC Amps ($\pm 1.5\%$ +8dpts)
- Power Factor determine equipment's power efficiently
- Wireless to free app **UEi HUB** for remote measurements
- Compatible with **measureQuick®**



Standard Features PLUS	HAC
UPC	053533510034
Type	Specialty High Accuracy
Voltage AC/DC	750 AC/ 1000 DC
Amperage	200 AC
True RMS	★
Frequency (Hertz) / Duty cycle	★
LRA inrush	★
Magnetic mount/strap	★
Wireless to UEi HUB app	★
NCV (LED & Audible)	★
Backlight	★
Low Z (impedance)	★
Worklight	★
POWER (W, VA, VAR)	★
Power Factor	★
Warranty	2 YEAR

Includes

- Silicone Test Leads (ATL70)
- Back Probe Leads (ABP3)
- Alligator Clips (AAC3)
- Temperature Probes K-type (ATT29)
- Zippered Pouch (AC570)
- Batteries AAA (4)
- Certificate of Conformity

Commemorative Edition!

Celebrating USA's 250th Anniversary with a black edition meter and USA 250th icon on meter and stitched on carrying pouch. Available only 2026!

View All Indoor and Outdoor AC/R System Parameters from One Location

Wireless Vacuum Gauge Probe

Target Superheat Calculation

Pressure Probes w/ 180° Articulation

Refrigerant Pass Through Port

Wireless Pipe Clamps



HUB8 053533508598

Smart Refrigeration Probes Deluxe Kit w/ Vacuum Gauge



HUB6 053533508246

Smart Refrigerant Complete Kit

- In App temperature split and psychrometric calculations
- In App system refrigerant charging calculations
- Pass thru refrigerant ports for easily adding or recovering refrigerant from the system
- 180 degree rotation for easy use in cramped spaces
- 1-Year limited warranty



WVG2 053533508604

Wireless Vacuum Gauge Probe

- Vacuum Range: 2000 microns
- 700 PSI Maximum Over Range
- Temperature Range: 10 to 122 °F
- Easy to use vacuum gauge probe
- Can work independently or with other HUB probes
- 1-Year limited warranty



HUB4 053533508239

Smart Refrigerant Charging Kit

- In App system refrigerant charging calculations
- Pass through refrigerant ports for easily adding or recovering refrigerant from the system
- 180 degrees rotation for easy use in cramped spaces
- Pressure range: 0 to 725 psig
- 1-Year limited warranty



WOT2 053533508611

Wireless Outside Temperature Probe

- Temperature Range: 32° to 180°F
- Works in two positions
- Real time target superheat calculation (With WHP1)
- Calculate Real Time Target Superheat (requires WHP1 & HUB App)
- 1-Year limited warranty

A2L, What You Need To Know

Specific tools that can be certified to service A2L equipment are recovery machines, vacuum pumps, and leak detectors.



The **RLD15B** Refrigerant Leak Detector is independently “**Certified**” to meet A2L Component Ignition Testing standard.



UEi’s other Refrigeration products outside that category do not interact directly with A2L refrigerants and categorized as “**A2L Compatible**”.



UPGRADED
RLD15B

UPC: 053533507430

Refrigerant Leak Detector
w/ Solid Electrolyte Sensor

- A2L certified
- 3 Sensitivity levels
- Digital numeric leak size indicator
- 2-Year limited warranty

Wireless Refrigeration Scales





3 Wireless Charging Scales have these *Standard* features!

- Measurements can be made on uneven ground
- Load can be weighed accurately even if off centered
- View readings on display or on free app **UEi HUB**
- Wireless range up to 100 ft (30m)
- Water resistance and dust proof
- 1-Year limited warranty



Works with UEi HUB App

WRS110	WRS220	WRSX
UPC: 053533507584	UPC: 053533507577	UPC: 053533581195
		
STANDARD Features PLUS	WRS110 Features PLUS	WRS220 Features PLUS
UPGRADED	UPGRADED	330lb Load Capacity
Digital Backlit Display	220lb Load Capacity	0.25 oz Resolution
110lb Load Capacity	0.2 oz Resolution	
0.1 oz Resolution		

Part #	UPC	Description
DMG150	053533507720	Vacuum Micron Gauge
HA1	053533500752	Hermetic Compressor Analyzer
CLM100	053533503289	Cable Length Meter

Other UEi Professional Meters

Part #	UPC	Description
HACCOMBO	053533510201	High Accuracy Clamp Meter w/ Pipe Clamp NEW
EPCCOMBO	053533510102	Everyday Professional Clamp Meter w/ Pipe Clamp NEW
DM525	053533508192	True RMS 1000V Wireless Multimeter w/ Power Factor
DM515	053533508185	True RMS 1000V Multimeter w/ Temperature
DM505	053533508178	1000V Digital Multimeter
IRT807	053533508147	1000V AC/DC Advanced Insulation Resistance Tester
IRT803	053533508130	600V AC/DC Digital Insulation Resistance Tester

Installation & Maintenance Kits



510KIT

UPC: 053533509380

Condensing Unit Install Kit

Commemorative Edition Everyday Professional Clamp Meter (EPC)
Refrigerant Leak Detector (RLD15B)
Wireless Refrigeration Analyzer (HUB8)
UEi Tool Backpack



511KIT

UPC: 053533509397

Heat Pump Install Kit

Static Pressure Manometer Kit (EM720SPKIT)
Commemorative Edition Everyday Professional Clamp Meter (EPC)
Refrigerant Leak Detector (RLD15B)
Wireless Refrigeration Analyzer (HUB8)
UEi Tool Backpack



TACK15

UPC: 053533509465

Test and Check Kit

Trade Clamp Meter (TCM)
Combustible Gas Leak Detector (CD100A)
NEW Differential Manometer (EM700)
Pocket Thermometer (PDT550)
Soft Carrying Case (AC73)



520KIT

UPC: 053533509403

Furnace Install Kit

Commemorative Edition Everyday Professional Clamp Meter (EPC)
Combustible Leak Detector (CD100A)
Static Pressure Manometer Kit (EM720SPKIT)
Differential Thermometer (PDT655)
UEi Tool Backpack



521KIT

UPC: 053533509410

Gas Furnace Install Kit

Carbon Monoxide Detector (COA2)
Commemorative Edition Everyday Professional Clamp Meter (EPC)
Combustible Leak Detector (CD100A)
Static Pressure Kit (EM720SPKIT)
Differential Thermometer (PDT655)
UEi Tool Backpack



522KIT

UPC: 053533509427

Oil Burner & Boiler Install Kit

Combustion Analyzer (C1610IL)
Commemorative Edition Everyday Professional Clamp Meter (EPC)
Combustible Leak Detector (CD100A)
Static Pressure Kit (EM720SPKIT)
Differential Thermometer (PDT655)
UEi Tool Backpack

Ask About Our Custom Kits.

Pressure Meters

DPM

UPC: 053533509564

Wireless Differential Manometer

- Wireless Differential Manometer to test static, gas & draft pressures
- Measures Pressure ± 80 inWC
- Wireless Connection to Free App
- Easy to Read Backlit Display
- Magnet for Hands Free Use
- 1-Year limited warranty




SPMKIT

UPC: 053533509571

Wireless Static Pressure Kit

- 2 Wireless Manometer for testing static, gas & draft pressures
- Measures Pressure ± 80 inWC
- Includes static pressure accessory kit
- 1-Year limited warranty



EM700

UPC: 053533510010

Differential Manometer

- Easily measure pressure drops across heat exchangers, cooling coils, supply and return registers
- Large easy-to-read backlit display
- Work hands free with built-in magnetic mount
- 1-Year limited warranty



EM720

UPC: 053533509359

Hi-Res Differential Manometer

- Measures Pressure ± 80 inWC
- Temperature compensation protects accuracy from ambient temperature.
- HOLD MIN/MAX/AVG
- Capture
- Ambient temperature measurement
- 1-Year limited warranty



EM720SPKIT

UPC: 053533509458

Hi-Res Differential Manometer Static Pressure Kit

- EM720 Manometer *plus*
- Stepped T Fitting (2)
- Static Pressure Probe (2)
- Pressure Tubing w/ Brass Fitting (2)
- Step connector w/ 3.15" tubing (2)
- 60" Pressure Tube
- 3 (AA) Batteries
- 1-Year limited warranty



SPA1

UPC: 053533606515

Static Pressure Accessory Kit

- Static Pressure Probe (2) (ASP1)
- 60" Pressure Tube
- Stepped T Fitting (2) (TF100)
- Soft Carrying Case (AC319)



Residential / Commercial Combustion Analyzers

BACKED BY



10
YEAR
WARRANTY



FREE SHIPPING

◦ **These C160 series Residential/Commercial Combustion Analyzer includes as Standard:** ◦



- | | | |
|---|--|---|
| <input checked="" type="checkbox"/> Eligible for UEi Service+ | <input checked="" type="checkbox"/> Flue/Inlet Temperature | <input checked="" type="checkbox"/> IR Printer Port |
| <input checked="" type="checkbox"/> Up to 10 year warranty | <input checked="" type="checkbox"/> Efficiency | <input checked="" type="checkbox"/> Protective Boot w/ Magnet |
| <input checked="" type="checkbox"/> 6-Line Backlit Display | <input checked="" type="checkbox"/> Excess Air | <input checked="" type="checkbox"/> Easy Access Water Trap |
| <input checked="" type="checkbox"/> Measures CO | <input checked="" type="checkbox"/> NOx Filtered CO Sensor | <input checked="" type="checkbox"/> 8 Pre-Programmed Fuels |
| <input checked="" type="checkbox"/> Measures CO2 | <input checked="" type="checkbox"/> Low Flow Detection | <input checked="" type="checkbox"/> DMM Style Selector Dial |
| <input checked="" type="checkbox"/> Calculates O2 | <input checked="" type="checkbox"/> Altitude Compensation | <input checked="" type="checkbox"/> USB Charging |

See back cover for Warranty details!

Advanced Analyzer Services & Support






Service+ Guaranteed! FOR LIFE offers all the benefits of our award-winning promise to never let you down plus one additional feature for ACA owners. **FOR LIFE** means that each annual recertification extends the warranty an additional 1-year for the working life of the analyzer. Details at ueitest.com/service



UEi LOCK is an optional anti-theft feature that can be turned on through the App **UEi HUB** to help prevent use if stolen.



Active **UEi Concierge+** service by registering your ACA, C165+, or C163 at ueitest.com for details on how to book a 15-minute call with a certified technician. It's your time to ask anything from general setup, specific testing, or utilizing **UEi Service+ Guaranteed!**

C161	C163	ACA
		
<p>All Standard Features PLUS</p>	<p>◀ All C161 Features PLUS ▼</p>	<p>◀ All C163 Features PLUS ▼</p>
<p>UEI SERVICE+ GUARANTEED! Up to 10 Years!</p>	<p>UEI SERVICE+ GUARANTEED! Up to 10 Years!</p>	<p>UEI SERVICE+ GUARANTEED! FOR LIFE!</p>
<p>Purge Pump Protection for CO Sensor</p>	<p>UEI CONCIERGE+</p>	<p>UEI LOCK</p>
<p>Differential Temperature</p>	<p>Wireless to UEI HUB</p>	<p>CO, CO2, and O2 Gases Measured</p>
<p>Heat Exchanger Test</p>	<p>Differential Pressure</p>	<p>Integrated Wireless Probe Connection</p>
		<p>10,000 ppm CO Sensor (H2 Compensated)</p>
		<p>Graphic Display</p>
<p>C161 053533508338 Analyzer only</p>	<p>C163 053533508352 Analyzer, Hard Case</p>	<p>ACA 053533510041 Analyzer, Hard Case</p>
<p>C161C 053533509250 Analyzer, Hard Case</p>	<p>C163KIT 053533509243 Analyzer, Printer, Hard Case</p>	<p>ACAKIT 053533510072 Analyzer, Printer, Hard Case</p>
<p>C161KIT 053533509236 Analyzer, Printer, Hard Case</p>		<p>ACAN 053533510089 Analyzer w/ Nitric Oxide Sensor, Hard Case</p>
<p>C161OIL 053533509373 Analyzer, Smoke Pump Tester, Hard Case</p>		<p>ACANKIT 053533510096 Analyzer w/ Nitric Oxide Sensor, Printer, Hard Case</p>
<p>C161OILKIT 053533509366 Analyzer, Smoke Pump Tester, Printer, Hard Case</p>		

HVAC/R ANALYZER

ALL IN ONE - Heating • Cooling • Air Flow

KANE460

UPC: 053533509595
 HVAC/R Analyzer

- **Test Residential/Commercial Gas, Oil, and Biomass Equipment**
 - **Heat Exchanger Integrity Test**
 - **Appliance Sweep Test for CO Leaks**
- Plus access full HVAC/R Analysis with optional wireless probes*
- **Commission and test Heat Pumps, A/C and Refrigeration systems**
 - **Measure building IAQ and Ventilation**
 - **Monitor and Log Ambient CO**



Includes (Base configuration)

- Flue Probe (CP2)
- Rechargeable Batteries
- Charger
- Pressure Hose
- Handset pouch
- Uei Tool Backpack
- Manual



Add These Probes For Full HVAC/R Analysis

AC/Refrigeration

HUB8

See page 6



CO Monitoring

COL

See page 13



IAQ Ventilation

DTHA2

See page 15



Carbon Monoxide Solutions



UEiClip 053533510065

Everyday Personal CO Monitor


- CO range 1-300ppm
- Audible & Visual Alerts
- Alarm >20 ppm
- 2-year battery life
- Lanyard to wear around neck
- Built-in belt clip to attach to uniform or tool bag
- 1-Year limited warranty



COA 053533509540

CO Analyzer

- Test boilers, cookers, grills, and ovens for CO
- Perform 2-minute appliance sweep test
- Use **KANE LINK™** to connect up to 4 COL CO Loggers to combine ambient air tests
- Save & send results to **KANE LIVE™** app or optional printer



COA2 053533508475

Carbon Monoxide Detector w/ Wireless Capabilities

- CO Detection: 1 to 999 ppm
- Resolution: 1 ppm
- Use alone or connect to a device
- Available on **UEi HUB** and **measureQuick®**
- Visual LED and Audible alert



COL 053533509557

CO Logger and Room CO Monitor

- Monitor CO in ambient air
- Combine ambient & appliance tests with **KANE LINK™** enabled analyzer
- Log CO every minute for up to 2 weeks
- See results on **KANE LIVE™** app



Combustion Testers

For specific equipment testing in place of full combustion analysis



CEA 053533509786
Combustion Efficiency Tester

- Backed by Service+ Guaranteed!
- Save fuel, reduce pollution & increase efficiency
- Measure: Flue stack temperature, and CO2 in real time
- Calculate: O2, Combustion Efficiency, and Excess Air



HET 053533509793
Heat Exchanger Tester

- Backed by Service+ Guaranteed!
- Heat Exchanger Integrity Test
- Furnace Safety Test
- Measure: CO & CO2
- Calculate: O2 & Excess air

Combustible Gas Detection



CD100A 053533503708
Combustible Gas Leak Detector

- Minimum: 50 ppm methane
- Long 18 inch gooseneck
- Tip-light in sensor cap
- Audible and visual tic rate
- 1-Year limited warranty

Digital Temperature Tester



DT720
UPC: 053533509434
Dual Input Temperature Tester

- 2 Inputs
- Differential T1-T2
- Accepts 6 thermocouples types
- 9,999 display count
- Min/Max/Avg/Hold
- 1-Year limited warranty

COMBUSTION ACCESSORIES

16646	053533604207	Thermal Paper Replacement Roll
16646PACK	053533606607	Thermal Paper Replacement Roll (10 Pack)
17631	053533604016	Particle Filter, Combustion Analyzer
17631PACK	053533606171	Particle Filter, Combustion Analyzer (10 Pack)
CM11667/2	053533605358	Water Trap Drain Plug, C Series Analyzers
CM11667/2PACK	053533606089	Water Trap Drain Plug (10 Pack)
EAKIT	053533605648	Combustion Analyzer Pressure Kit Includes BF100, AACA4, ATT29 (2), Pressure Tubing & AC519 Case
IRP-2	053533606911	Easy Load Fast IR Printer
CP2	053533508918	Flue Gas Probe for C160 Series Combustion Analyzer
SPT1	053533605198	Smoke Pump Test Kit
SGAP	053533509854	12" Combustion Probe w/ Handle & 8' Flexible Tubing for HET
SM11105	053533606904	Inlet Tube, C160 Series Analyzers
SM50515	053533607017	Water Trap, C160 Series Combustion Analyzers
SP9	053533604801	Smoke Paper and Chart for Combustion Testing

Air Flow, Temperature, & Humidity



DAFM3B 053533507188
*Digital Anemometer w/
Humidity Tester*

- Measures: air velocity, temperature and humidity
- Calculates: wet bulb, dew point, and air volume (CFM/CMM)
- Up to 1 hour accumulative average
- 1-Year limited warranty



DAFM4 053533506877
*Digital In-Duct Mini Vane
Anemometer*

- Measures: air velocity
- Calculates: air volume, dew point, wet bulb
- In-duct or grill surface measurement
- 1-Year limited warranty



DTHA2 053533508420
*Wireless Airflow/ Humidity/
Temperature Meter*

- Free App
- iOS® and Android™ compatible
- Airflow 217 to 3937 ft/sec
- Connects to **KANE LINK™** enabled analyzers
- 1-Year limited warranty



DTH35 053533506938
*Digital Pocket Psychrometer w/
Temperature/ Relative Humidity/
Enthlapy*

- Wet Bulb/Dew Point
- Backlit display
- Min/Max
- 1-Year limited warranty



UPGRADED
INF165C 053533507416
12:1 Infrared Thermometer

- Circular green laser defines target
- Protective over-molded grip
- Max value capture
- 2 Emissivity levels, (0.70, 0.95)
- 1-Year limited warranty



INF195C 053533507423
*12:1 Infrared Thermometer w/
K-Type Input*

- Circular laser defines target
- Differential temperature
- Min/Max/Avg/Diff
- 1-Year limited warranty

Part #	550B	PDT550	PDT650	PDT655	PDT660
UPC:	053533701173	053533700930	053533701289	053533508543	053533508451
Temperature Range -58° to 572° F	•	•	•	•	•
Min/Max	•	•	•	•	•
Auto power off	•	•	•	•	•
Built-in magnet	•	•	•	•	
Hold	•	•			
Ingress Protection	Water Resistant	Water Proof			
NSF listed	•	•			•
Backlight Display				•	•
Folding			•	•	•
Warranty	3-Year limited	1-Year limited	3-Year limited	1-Year limited	1-Year limited



Connect More!

Comprehensive HVAC/R App For UEi's Wireless Solutions!

Refrigeration • Vacuum • Charging Scales
Air Side • Air Flow • CO Detection
Combustion Analysis • Electrical
Nitrogen Leak Test

UPGRADED







Live System Analysis

See a system's performance live or choose which data to you want to add in your report. See common analysis and recommendations.

Custom Data Export

Send report in choice of formats with options to add GEO location.



Accessories

TEST LEADS

Part #	UPC	Description
AAC	053533600759	Alligator Clips, Slip-On
AAC3	053533603866	Alligator Clips, Screw-On
ABP3	053533606973	Back Probe Test Leads for DL589 & DL599
ATLTX	053533606478	Modular Test Lead Extension Wire
ATL1	053533606416	Modular Lead Tips- Standard (requires ATLTX)
ATL2	053533606423	Modular Lead Tips- Alligator (requires ATLTX)
ATL3	053533606430	Modular Lead Tips- Grabber Tip (requires ATLTX)
ATL5	053533606454	Modular Lead Tips- Back Probe (requires ATLTX)
ATL6	053533606461	Modular Lead Tips- Piercing (requires ATLTX)
ATL55	053533602043	Test Leads (Standard)
ATL57	053533606621	Silicone Test Leads
ATL58	053533606966	Silicone test leads for DL589 & DL599
ATL92	053533607031	Insulation Test Probe & Alligator Clip
ATL70	053533607031	Silicone test leads for EPC & HAC w/ Alligator Clip
ATL190	053533603828	Test Leads for Cable Length Meter
ATL301KIT	053533605716	Test Lead Kit
ATLBPK	053533606492	Back Probe Test Lead Kit
ATLCAP	053533507553	Test Lead Shield Caps

CLIPS & ADAPTERS

ACF1	053533600766	Female Adapter Cord (HA1)
ACS1	053533600780	Velcro Pipe Straps
ASP1	053533606133	Magnetic Static Pressure Probe
ATHA1	053533600964	Gas Valve Thermocouple Adapter
TF100	053533606775	Stepped "T" Fitting
AACA4	053533605303	AC 9V 700mA Adapter for C100A/ C50/ C75/ CO91
AACA5	053533607000	USB Charger for C160 Series Analyzers
AJW1	053533606850	Jump wires (10 pack)
AMH1	053533606843	Magnetic Hanger Strap (DM505, DM151, and DM525)
AMH2	053533606980	Magnetic Hanger Strap for DL569 and DL579 only
AMH3	053533606997	Replacement Magnetic Hanger Strap (DL589 & DL599)

PRESSURE

AORK1	053533508390	WPP1 O Ring Kit
AVGA	053533607109	Gas Valve Adapter with Tubing
AVGC	053533607154	45° Coupler for WVG2 Vacuum Gauge
BF100	053533603811	Gas Valve Pressure Adapter (EM201B)
BF102	053533602166	Gas Valve Pressure Adapter (EM152)
SPAK1	053533606515	Static Pressure Accessory Kit

TEMPERATURE PROBES

Part #	UPC	Description
ATT6	053533601558	J-Type standard 4' oven clip probe
ATT19	053533603699	J-Type oven clip probe
ATT26	053533601237	J-Type liquid probe
ATT27	053533601244	J-Type bead probe
ATT29	053533601268	K-Type fiberglass coated probe
ATT29A	053533602227	K-Type fluoroplastic coated probe
ATT29APACK	053533606393	K-Type fluoroplastic coated probe (10 pack)
ATT30	053533601299	J-Type 8" Liquid probe
ATT36	053533601329	K-Type Surface Temperature Probe
ATT39	053533605969	K-Type probe w/ wire wrap handle (DT302 & DT304)
ATT70	053533603347	K-Type to input jack adapter
ATT71	053533602159	K-Type to input jack temperature probe
ATT100	053533602357	K-Type 6" liquid probe
ATTTEXT	053533606126	K-Type 10' extension
ATTPC3	053533606942	K-Type pipe clamp adapter
ATTPC4	053533508406	K-Type pipe clamp adapter

LEAK

RLD15SENS	053533606119	Replacement Sensor (RLD15)
RLDLS	053533606096	Leak Test Vial (RLD15)
RLDSENS	053533603729	Replacement Sensor (RLD10)
RS1000	053533603354	Replacement Sensor (CD100A/CD200)
RS1010	053533603378	Sensor Caps (CD100A (2 Versions) & CD200)
RLDTF	053533606102	Tip Filter (5 Pack) (RLD15)

CARRYING CASES

AC12	053533606522	Test lead kit pouch
AC73	053533605273	Soft carrying case (12" x 15" x 3.5")
AC319	053533603958	Soft carrying case (10" x 6" x 2.75")
AC419	053533508765	Wireless Refrigerant Scale Carrying Case
AC504	053533602814	Hard carrying case (10" x 13.75" x 3.5")
AC509	053533605723	C series red carrying case (19" x 14" x 4.75")
AC519	053533603965	Soft carrying case (13" x 6" x 2.75")
AC550	053533607024	UEi Tool Backpack
AC570	053533607147	Soft carrying case w/ zippered accessory compartment
AC619	053533606881	HUB8 Carrying Case w/ Foam Inserts

UEi SERVICE+ GUARANTEED!

An Award-Winning Promise To Never Let You Down

BACKED BY



Warranty: All UEi combustion analyzers have a standard 1-year warranty. Each annual recertification extends the warranty for 1 more year. For up to **10 YEARS** from the date of purchase on C160-Series analyzers or **FOR LIFE** on ACA analyzers.

UP TO
10
YEAR
WARRANTY

Contractors who book recertification of an eligible analyzer at www.ueitest.com/service within 12 months from either the date of purchase or the date of the last recertification will receive reduced service pricing¹, that lowers the cost of ownership and receive two additional benefits:



Same Day Service: All qualifying analyzers received for recertification through UEi Service+ are returned on the same business day, **GUARANTEED**.²



FREE
SHIPPING
ON ANNUAL SERVICE

Free Shipping: UEi Service+ offers free shipping both to and from our service center. When customers book their recertification, they receive a prepaid UPS Ground shipping label.

Complete Details at UEITEST.COM/SERVICE



SERVICE & SOFTWARE

UEi SERVICE+ GUARANTEED! won GOLD in the Dealer Design Awards "Service & Software" category. This award recognizes product design that assists contractors with the installation, maintenance, and service of HVACR Products and is the only industry award judged exclusively by HVACR contractors.

Available to US customers only. ¹Pricing subject to change without notice and discounted over standard recertification pricing.

²Analyzers with an installed NO (Nitric Oxide) sensor requires a 48-hour turnaround.

©2026 Kane USA Inc. All Rights Reserved. UPS logo Copyright ©2026 United Parcel Service of America, Inc. used with permission. KANE and the KANE logo (registered in the UK and elsewhere) are trademarks of Kane Group Limited, used under license. iOS® and Android™ are property of their respective owners.

L701 1/26