

NEW



BACKED BY

UEi
SERVICE+



FREE
SHIPPING
ON ANNUAL SERVICE

**UEi
HUB**

ACA/R

Advanced Combustion & Refrigerant Analyzer

See page 9

KEEPING HOMES & WORKPLACES SAFE & COMFORTABLE

WWW.UEITEST.COM

Award-Winning HVAC/R Clamp Meters



Item	DL599	HAC	EPC	TCM
UPC	053533509137	053533510034	053533510027	053533510133
Type	Advanced Power Meter	Specialty High Accuracy	Everyday Professional Clamp	Trade School Meter
True RMS	★	★	★	-
Voltage AC/DC	1000 AC / 1000 DC	750 AC/ 1000 DC	750 AC/ 1000 DC	750 AC / 1000 DC
Amperage	600 AC / 600 DC	200 AC	400 AC	400 AC
DC microamps	★	★	★	★
Resistance (Ohms)	★	★	★	★
Capacitance (Farads)	★	★	★	★
Continuity/Diode	★	★	★	★
Temperature (K-type input)	★	★	★	★
Hold/Min/Max	★	★	★	★
Auto and Manual Ranging	★	★	★	★
Test lead storage	★	★	★	★
Easy access battery latches	★	★	★	★
Dual Display	★	★	★	★
High voltage alert	★	★	★	★
Auto off / Low battery indication	★	★	★	★
Auto calibration	★	★	★	★
Frequency (Hertz) / Duty cycle	★	★	★	-
LRA inrush	★	★	★	-
Magnetic mount/strap	★	★	★	Optional
Wireless to UEi HUB app	★	★	★	-
NCV (LED & Audible)	★	★	★	-
Backlight	★	★	★	-
Low Z (impedance)	★	★	★	-
Worklight	★	★	-	-
POWER (W, VA, VAR)	★	★	-	-
Power Factor	★	★	-	-
Temperature differential	★	-	-	-
DC Zero	★	-	-	-
Auto AC/DC selection for V/A	★	-	-	-
3-Phase motor rotation test	★	-	-	-
Motor unbalanced test	★	-	-	-
Low pass filter	★	-	-	-
CAT Rating	CATIV 600V CATIII 1000V	CATIV 600V CATIII 1000V	CATIV 600V CATIII 1000V	CATIV 300V CATIII 600V
Warranty	2 YEAR	2 YEAR	2 YEAR	1 YEAR
Includes				
Test Leads	Silicone	Silicone	Silicone	PVC
Alligator Clips	★	★	★	★
K-type thermocouple	★	★	★	★
Zippered pouch	★	★	★	★
Batteries	★	★	★	★
Manual (pdf)	★	★	★	★
Certificate of conformity	★	★	★	★
Back Probe Leads	★	★	★	-

Designed for HVAC/R Professionals

DL599 053533509137

Wireless TRMS Power Clamp Meter
w/ 3-Phase Testing

- This award-winning wireless 600A True-RMS HVAC/R clamp offers Power Factor and Watt measurements with motor diagnostics like 3-phase motor rotation test, unbalanced current/voltage tests to determine a motor's load efficiency, Low Z (low impedance) to improve accuracy by reducing ghost voltages, and a Low Pass Filter to screen out unwanted higher frequencies from Variable Frequency Drives.
- Wireless to **UEi HUB** and **measureQuick®**
- 2-year limited warranty



HAC 053533510034

High Accuracy Clamp Meter
Commemorative Edition

- The high accuracy clamp meter is designed for HVAC/R professionals who require high accuracy for low amp applications making it ideal for variable refrigerant flow (VRF) systems, variable frequency drives (VFD), inducer motors for gas furnaces, mini-splits, and HVAC control boards or components.
- Wireless to **UEi HUB** and **measureQuick®**
- 2-year limited warranty



EPC 053533510027

Everyday Professional Clamp Meter
Commemorative Edition

- The popular EPC is a True-RMS wireless clamp meter designed by HVAC/R professionals for HVAC/R professionals for everyday use.
- Wireless to **UEi HUB**
- 2-year limited warranty



Other UEi Professional Meters

Part #	UPC	Description
HACCOMBO	053533510201	High Accuracy Clamp Meter w/ Pipe Clamp
EPCCOMBO	053533510102	Everyday Professional Clamp Meter w/ Pipe Clamp
DM525	053533508192	True RMS 1000V Wireless Multimeter w/ Power Factor
DM515	053533508185	True RMS 1000V Multimeter w/Temperature
DM505	053533508178	1000V Digital Multimeter
IRT807	053533508147	1000V AC/DC Advanced Insulation Resistance Tester
IRT803	053533508130	600V AC/DC Digital Insulation Resistance Tester

Installation & Maintenance Kits



510KIT

UPC: 053533509380

Condensing Unit Install Kit

Commemorative Edition Everyday Professional Clamp Meter (EPC)
Refrigerant Leak Detector (RLD15B)
Wireless Refrigeration Analyzer (HUB8)
UEi Tool Backpack



511KIT

UPC: 053533509397

Heat Pump Install Kit

Static Pressure Manometer Kit (EM720SPKIT)
Commemorative Edition Everyday Professional Clamp Meter (EPC)
Refrigerant Leak Detector (RLD15B)
Wireless Refrigeration Analyzer (HUB8)
UEi Tool Backpack



TACK15

UPC: 053533509465

Test and Check Kit

Trade Clamp Meter (TCM)
Combustible Gas Leak Detector (CD100A)
NEW Differential Manometer (EM700)
Pocket Thermometer (PDT550)
Soft Carrying Case (AC73)



520KIT

UPC: 053533509403

Furnace Install Kit

Commemorative Edition Everyday Professional Clamp Meter (EPC)
Combustible Leak Detector (CD100A)
Static Pressure Manometer Kit (EM720SPKIT)
Differential Thermometer (PDT655)
UEi Tool Backpack



521KIT

UPC: 053533509410

Gas Furnace Install Kit

Carbon Monoxide Detector (COA2)
Commemorative Edition Everyday Professional Clamp Meter (EPC)
Combustible Leak Detector (CD100A)
Static Pressure Kit (EM720SPKIT)
Differential Thermometer (PDT655)
UEi Tool Backpack



522KIT

UPC: 053533509427

Oil Burner & Boiler Install Kit

Combustion Analyzer (C1610IL)
Commemorative Edition Everyday Professional Clamp Meter (EPC)
Combustible Leak Detector (CD100A)
Static Pressure Kit (EM720SPKIT)
Differential Thermometer (PDT655)
UEi Tool Backpack

Ask About Our Custom Kits.

Manometers

EM720

UPC: 053533509359

Hi-Res Differential Manometer

- Measures Pressure ± 80 inWC
- Temperature compensation protects accuracy from ambient temperature.
- HOLD MIN/MAX/AVG
- Capture
- Ambient temperature measurement
- 1-Year limited warranty



SPMKIT

UPC: 053533509571

Wireless Static Pressure Kit

- 2 Wireless Manometer for testing static, gas & draft pressures
- Measures Pressure ± 80 inWC
- Includes static pressure accessory kit
- 1-Year limited warranty



EM720SPKIT

UPC: 053533509458

Hi-Res Differential Manometer Static Pressure Kit

- EM720 Manometer *plus*
- Stepped T Fitting (2)
- Static Pressure Probe (2)
- Pressure Tubing - Brass Fitting (2)
- Step connector - 3.15" tubing (2)
- 60" Pressure Tube
- 3 (AA) Batteries
- 1-Year limited warranty



DPM

UPC: 053533509564

Wireless Differential Manometer

- Wireless Differential Manometer to test static, gas & draft pressures
- Measures Pressure ± 80 inWC
- Wireless Connection to Free App
- Easy to Read Backlit Display
- Magnet for Hands Free Use
- 1-Year limited warranty



EM700

UPC: 053533510010

Differential Manometer

- Easily measure pressure drops across heat exchangers, cooling coils, supply and return registers
- Large easy-to-read backlit display
- Work hands free with built-in magnetic mount
- 1-Year limited warranty



SPAK1

UPC: 053533606515

Static Pressure Accessory Kit

- Static Pressure Probe (2) (ASP1)
- 60" Pressure Tube
- Stepped T Fitting (2) (TF100)
- Soft Carrying Case (AC319)



Combustible Gas Detection

CD100A 053533503708

Combustible Gas Leak Detector

- Minimum: 50 ppm methane
- Long 18 inch gooseneck
- Tip-light in sensor cap
- Audible and visual tic rate
- 1-Year limited warranty



Temperature Tester

DT720

UPC: 053533509434

Dual Input Temperature Tester

- 2 Inputs
- Differential T1-T2
- 9,999 display count
- Min/Max/Avg/Hold
- 1-Year limited warranty



Air Flow, Temperature, & Humidity



DAFM3B 053533507188 Digital Anemometer w/ Humidity Tester

- Measures: air velocity, temperature and humidity
- Calculates: wet bulb, dew point, and air volume (CFM/CMM)
- Up to 1 hour accumulative average
- 1-Year limited warranty



DAFM4 053533506877 Digital In-Duct Mini Vane Anemometer

- Measures: air velocity
- Calculates: air volume, dew point, wet bulb
- In-duct or grill surface measurement
- 1-Year limited warranty



DTHA2 053533508420 Wireless Airflow/ Humidity/ Temperature Meter

- Free App
- iOS® and Android™ compatible
- Airflow 217 to 3937 ft/sec
- Connects to **KANE LINK™** enabled analyzers
- 1-Year limited warranty



DTH35 053533506938 Digital Pocket Psychrometer w/ Temperature/ Relative Humidity/ Enthalpy

- Wet Bulb/Dew Point
- Backlit display
- Min/Max
- 1-Year limited warranty



INF165C 053533507416 12:1 Infrared Thermometer

- Circular green laser defines target
- Protective over-molded grip
- Max value capture
- 2 Emissivity levels, (0.70, 0.95)
- 1-Year limited warranty



INF195C 053533507423 12:1 Infrared Thermometer w/ K-Type Input

- Circular laser defines target
- Differential temperature
- Min/Max/Avg/Diff
- 1-Year limited warranty

Part #	550B	PDT550	PDT650	PDT655	PDT660
UPC:	053533701173	053533700930	053533701289	053533508543	053533508451
Temperature Range -58° to 572°F	•	•	•	•	•
Min/Max	•	•	•	•	•
Auto power off	•	•	•	•	•
Built-in magnet	•	•	•	•	
Hold	•	•			
Ingress Protection	Water Resistant	Water Proof			
NSF listed	•	•			•
Backlight Display				•	•
Folding			•	•	•
Warranty	3-Year limited	1-Year limited	3-Year limited	1-Year limited	1-Year limited

Carbon Monoxide Solutions



UEi is a proud supporter of

**National Carbon Monoxide
Awareness Association**

UEiClip 053533510065

Everyday Personal CO Monitor


- CO range 1-300ppm
- Audible & Visual Alerts
- Alarm >20 ppm
- 2-year battery life
- Lanyard to wear around neck
- Built-in belt clip to attach to uniform or tool bag
- 1-Year limited warranty



COA2 053533508475

Carbon Monoxide Detector w/ Wireless Capabilities

- CO Detection: 1 to 999 ppm
- Resolution: 1 ppm
- Use alone or connect to a device
- Available on **UEi HUB** and **measureQuick®**
- Visual LED and Audible alert



COL 053533509557

CO Logger and Room CO Monitor

- Monitor CO in ambient air
- Combine ambient & appliance tests with **ACA/R** or **COA** analyzers
- Log CO every minute for up to 2 weeks



Residential / Commercial Combustion Analyzers

BACKED BY



C161 053533508338 *Residential Combustion Analyzer*

- Backed by Service+ Guaranteed!
- Warranted for life of analyzer with annual recertification
- Measures: CO, CO₂, Flue Temperature, Inlet Temperature
- Calculates: O₂, Differential Temperature, Efficiency (Net, Gross), Excess Air, CO/CO₂ Ratio
- Heat Exchanger test

C161 Available Kits

C161 053533508338
Analyzer only

C161C 053533509250
Analyzer, Hard Case

C161KIT 053533509236
Analyzer, Printer, Hard Case

C161OIL 053533509373
Analyzer, Smoke Pump Tester, Hard Case

C161OILKIT 053533509366
Analyzer, Smoke Pump Tester, Printer, Hard Case



C163 053533508352 *Residential Combustion Analyzer with Pressure*

- Backed by Service+ Guaranteed!
- Warranted for life of analyzer with annual recertification
- Measures: CO, CO₂, Differential Pressure, Flue and Inlet Temperature
- Calculates: O₂, Differential Temperature, Efficiency (Net, Gross), Excess Air
- Heat Exchanger test
- Wireless to UEi HUB app

C163 Available Kits

C163 053533508352
Analyzer, Hard Case

C163KIT 053533509243
Analyzer, Printer, Hard Case



Part #	UPC	Description
CEA	053533509786	Combustion Efficiency Meter
HET	053533509793	Heat Exchanger Tester
COA	053533509540	CO Analyzer

Advanced Combustion and Refrigerant Analyzer

ACA/R

UPC: 053533510256

**Advanced Combustion Analyzer
& Refrigerant Analyzer**

NEW ALL SEASON ANALYZER

- ✓ Advanced Commercial Combustion Analyzer
- ✓ Refrigeration Analyzer

NEW REFRIGERATION SCREENS

- ✓ Refrigeration: Superheat/Subcooling
- ✓ Air: High & Low side
- ✓ Vacuum: Evac & Rise Tests

Connect optional HUB wireless refrigeration probes to view refrigeration parameters directly on ACA/R analyzer!

BEST OF BOTH WORLDS

- ✓ View Heating/Cooling Tests
- ✓ In Analyzer or in UEI HUB app

**UEI
HUB**

- CO sensor, 10,000ppm H2 Compensated & NOx filtered
- CO2 sensor (flue or ambient)
- O2 sensor
- Differential Pressure and draft
- Flue and Inlet Temperature, differential temperature
- Combustion Efficiency and Excess Air
- Heat Exchanger test
- Room CO test
- Refrigeration, Superheat/Subcooling, Air, and Vacuum
- Wireless to UEI HUB app

ACA/R Available Kits

ACA/R 053533510256
Analyzer, Hard Case

ACA/RKIT 053533510263
Analyzer, Printer, Hard Case

ACA/RN 053533510270
Analyzer, NO1 Sensor, Hard Case

ACA/RNKIT 053533510287
Analyzer, NO1 Sensor, Printer, Hard Case



BACKED BY

UEI
SERVICE+



FREE
SHIPPING
ON ANNUAL SERVICE

Optional wireless probes to direct connect to ACA/R to view measurements on screen.



AC/Refrigeration HUB8

See page 6



CO Monitoring COL

See page 13



IAQ Ventilation DTHA2

See page 15

View All Indoor and Outdoor AC/R System Parameters from One Location

Wireless Vacuum Gauge Probe

Target Superheat Calculation

Pressure Probes w/ 180° Articulation

Refrigerant Pass Through Port

Wireless Pipe Clamps



HUB8 053533508598

Smart Refrigeration Probes Deluxe Kit w/ Vacuum Gauge



HUB6 053533508246

Smart Refrigerant Complete Kit

- In app temperature split and psychrometric calculations
- In app system refrigerant charging calculations
- Pass thru refrigerant ports for easily adding or recovering refrigerant from the system
- 180 degree rotation for easy use in cramped spaces
- 1-Year limited warranty



WVG2 053533508604

Wireless Vacuum Gauge Probe

- Vacuum Range: 2000 microns
- 700 PSI Maximum Over Range
- Temperature Range: 10 to 122 °F
- Easy to use vacuum gauge probe
- Can work independently or with other HUB probes
- 1-Year limited warranty



HUB4 053533508239

Smart Refrigerant Charging Kit

- In app system refrigerant charging calculations
- Pass through refrigerant ports for easily adding or recovering refrigerant from the system
- 180 degrees rotation for easy use in cramped spaces
- Pressure range: 0 to 725 psig
- 1-Year limited warranty



WOT2 053533508611

Wireless Outside Temperature Probe

- Temperature Range: 32° to 180°F
- Works in two positions
- Real time target superheat calculation (With WHP2/WHP3)
- Calculate Real Time Target Superheat (requires WHP2/WHP3 & HUB App)
- 1-Year limited warranty

A2L, What You Need To Know

Specific tools that can be certified to service A2L equipment are recovery machines, vacuum pumps, and leak detectors.



The **RLD15B** Refrigerant Leak Detector is independently “**Certified**” to meet A2L Component Ignition Testing standard.



UEi’s other Refrigeration products outside that category do not interact directly with A2L refrigerants and categorized as “**A2L Compatible**”.



RLD15B

UPC: 053533507430

**Refrigerant Leak Detector
w/ Solid Electrolyte Sensor**

- A2L certified
- 3 Sensitivity levels
- Digital numeric leak size indicator
- 2-Year limited warranty

Wireless Refrigeration Scales



3 Wireless Charging Scales have these *Standard* features!

- ☒ Measurements can be made on uneven ground
- ☒ Load can be weighed accurately even if off centered
- ☒ View readings on display or on free app **UEi HUB**
- ☒ Wireless range up to 100 ft (30m)
- ☒ Water resistance and dust proof
- ☒ 1-Year limited warranty



Works with UEi HUB App

WRS110	WRS220	WRSX
UPC: 053533507584	UPC: 053533507577	UPC: 053533581195
		
STANDARD Features PLUS	WRS110 Features PLUS	WRS220 Features PLUS
Digital Backlit Display		330lb Load Capacity
110lb Load Capacity	220lb Load Capacity	0.25 oz Resolution
0.1 oz Resolution	0.2 oz Resolution	

Part #	UPC	Description
DMG150	053533507720	Vacuum Micron Gauge
HA1	053533500752	Hermetic Compressor Analyzer
CLM100	053533503289	Cable Length Meter



UPGRADED



Connect More!

Comprehensive HVAC/R App For UEi's Wireless Solutions!

**Refrigeration • Vacuum • Charging Scales
Air Side • Air Flow • CO Detection
Combustion Analysis • Electrical
Nitrogen Leak Test**



**Live System Analysis
Custom Data Export**

Accessories

TEST LEADS

Part #	UPC	Description
AAC	053533600759	Alligator Clips, Slip-On
AAC3	053533603866	Alligator Clips, Screw-On
ABP3	053533606973	Back Probe Test Leads for DL589 & DL599
ATLTX	053533606478	Modular Test Lead Extension Wire
ATL1	053533606416	Modular Lead Tips- Standard (requires ATLTX)
ATL2	053533606423	Modular Lead Tips- Alligator (requires ATLTX)
ATL3	053533606430	Modular Lead Tips- Grabber Tip (requires ATLTX)
ATL5	053533606454	Modular Lead Tips- Back Probe (requires ATLTX)
ATL6	053533606461	Modular Lead Tips- Piercing (requires ATLTX)
ATL55	053533602043	Test Leads (Standard)
ATL57	053533606621	Silicone Test Leads
ATL58	053533606966	Silicone test leads for DL589 & DL599
ATL92	053533607031	Insulation Test Probe & Alligator Clip
ATL70	053533607031	Silicone test leads for EPC & HAC w/ Alligator Clip
ATL190	053533603828	Test Leads for Cable Length Meter
ATL301KIT	053533605716	Test Lead Kit
ATLBPK	053533606492	Back Probe Test Lead Kit
ATLCAP	053533507553	Test Lead Shield Caps

COMBUSTION ACCESSORIES

16646	053533604207	Thermal Paper Replacement Roll
16646PACK	053533606607	Thermal Paper Replacement Roll (10 Pack)
17631	053533604016	Particle Filter, Combustion Analyzer
17631PACK	053533606171	Particle Filter, Combustion Analyzer (10 Pack)
CM11667/2	053533605358	Water Trap Drain Plug, C Series Analyzers
CM11667/2PACK	053533606089	Water Trap Drain Plug (10 Pack)
EAKIT	053533605648	Combustion Analyzer Pressure Kit Includes BF100, AACA4, ATT29 (2), Pressure Tubing & AC519 Case
IRP-2	053533606911	Easy Load Fast IR Printer
CP2	053533508918	Flue Gas Probe for C160 Series Combustion Analyzer
SPT1	053533605198	Smoke Pump Test Kit
SGAP	053533509854	12" Combustion Probe w/ Handle & 8' Flexible Tubing for HET
SM11105	053533606904	Inlet Tube, C160 Series Analyzers
SM50515	053533607017	Water Trap, C160 Series Combustion Analyzers
SP9	053533604801	Smoke Paper and Chart for Combustion Testing

Accessories

TEMPERATURE PROBES

Part #	UPC	Description
ATT6	053533601558	J-Type standard 4' oven clip probe
ATT19	053533603699	J-Type oven clip probe
ATT26	053533601237	J-Type liquid probe
ATT27	053533601244	J-Type bead probe
ATT29	053533601268	K-Type fiberglass coated probe
ATT29A	053533602227	K-Type fluoroplastic coated probe
ATT29APACK	053533606393	K-Type fluoroplastic coated probe (10 pack)
ATT30	053533601299	J-Type 8" Liquid probe
ATT36	053533601329	K-Type Surface Temperature Probe
ATT39	053533605969	K-Type probe w/ wire wrap handle (DT302 & DT304)
ATT70	053533603347	K-Type to input jack adapter
ATT71	053533602159	K-Type to input jack temperature probe
ATT100	053533602357	K-Type 6" liquid probe
ATTEXT	053533606126	K-Type 10' extension
ATTPC3	053533606942	K-Type pipe clamp adapter
ATTPC4	053533508406	K-Type pipe clamp adapter

CLIPS & ADAPTERS

ACF1	053533600766	Female Adapter Cord (HA1)
ACS1	053533600780	Velcro Pipe Straps
ASP1	053533606133	Magnetic Static Pressure Probe
ATHA1	053533600964	Gas Valve Thermocouple Adapter
TF100	053533606775	Stepped "T" Fitting
AACA4	053533605303	AC 9V 700mA Adapter for C100A/ C50/ C75/ CO91
AACA5	053533607000	USB Charger for C160 Series Analyzers
AJW1	053533606850	Jump wires (10 pack)
AMH1	053533606843	Magnetic Hanger Strap (DM505, DM151, and DM525)
AMH2	053533606980	Magnetic Hanger Strap for DL569 and DL579 only
AMH3	053533606997	Replacement Magnetic Hanger Strap (DL589 & DL599)

PRESSURE

AORK1	053533508390	WPP1 O Ring Kit
AGVA	053533607109	Gas Valve Adapter with Tubing
AVGC	053533607154	45° Coupler for WVG2 Vacuum Gauge
BF100	053533603811	Gas Valve Pressure Adapter (EM201B)
BF102	053533602166	Gas Valve Pressure Adapter (EM152)
SPAK1	053533606515	Static Pressure Accessory Kit

Accessories

LEAK

Part #	UPC	Description
RLD15SENS	053533606119	Replacement Sensor (RLD15)
RLDLS	053533606096	Leak Test Vial (RLD15)
RLDSENS	053533603729	Replacement Sensor (RLD10)
RS1000	053533603354	Replacement Sensor (CD100A/CD200)
RS1010	053533603378	Sensor Caps (CD100A (2 Versions) & CD200)
RLDTF	053533606102	Tip Filter (5 Pack) (RLD15)

CARRYING CASES

AC12	053533606522	Test lead kit pouch
AC73	053533605273	Soft carrying case (12"x 15"x 3.5")
AC319	053533603958	Soft carrying case (10"x 6"x 2.75")
AC419	053533508765	Wireless Refrigerant Scale Carrying Case
AC504	053533602814	Hard carrying case (10"x 13.75"x 3.5")
AC509	053533605723	C series red carrying case (19"x 14"x 4.75")
AC519	053533603965	Soft carrying case (13"x 6"x 2.75")
AC550	053533607024	UEi Tool Backpack
AC570	053533607147	Soft carrying case w/ zippered accessory compartment
AC619	053533606881	HUB8 Carrying Case w/ Foam Inserts

Our Story



We are a third-generation family operated business



*Most of our products are made in our UK & Korean ISO9001 Certified Factories
Shipped and serviced from our Indianapolis ISO 17025 Certified Service Center*



*We work hard to deliver our award-winning customer service.
Our promise to never let you down!*



BACKED BY



Our Award-Winning Promise To Never Let You Down



Contractors who book recertification of a qualifying analyzer at www.ueitest.com/service within 12 months from either the date of purchase or the date of the last recertification will receive a warranty extended for 1 year plus:

Same Day Recertification return ships on the same business day received, **Guaranteed.***

Reduced Pricing over standard rates, transparent and up front, no surprises.

Free Shipping offers free UPS Ground shipping both to and from our service center.

WARRANTED FOR WORKING LIFE OF ANALYZER



UEi combustion analyzers one year warranty is extended 1 additional year with each recertification, for the working life of the analyzer, until we reasonably believe we cannot restore an analyzer to our original factory specification. See details at www.ueitest.com/service.

NIST & ISO ACCREDITED SERVICES



Our Indianapolis Recertification Center is accredited to ISO/IEC 17025:2017. Achieving this internationally-recognized standard reflects our commitment to quality for your ISO/IEC 17025 Accredited Calibration and NIST-Traceable Certifications. See details at www.ueitest.com/nist.

Available to US customers only. *Pricing subject to change without notice and discounted over standard recertification pricing.

²Analyzers with an installed NO (Nitric Oxide) sensor requires a 48-hour turnaround.

©2026 Kane USA Inc. All Rights Reserved. UPS logo Copyright ©2026 United Parcel Service of America, Inc. used with permission. KANE and the KANE logo (registered in the UK and elsewhere) are trademarks of Kane Group Limited, used under license. L701 9/26